

世界知识产权组织标准委员会（CWS）

第五届会议

2017年5月29日至6月2日，日内瓦

专利局公开的专利文献权威文档用新 WIPO 标准

秘书处编拟的文件

1. 在 2016 年 3 月举行的第四届会议续会上，WIPO 标准委员会(CWS)同意设立第 51 号任务，“为国家或地区专利局发布的专利文献权威文档编写建议，使其他专利局和其他有关方面能够评估其收藏的已公布专利文献的完整性”。标准委员会成立了一个新工作队（权威文档工作队）来处理该任务，并指定了欧洲专利局（EPO）为工作队牵头人。（见文件 CWS/4BIS/16 第 108 段。）
2. 标准委员会要求新工作队提交制定新 WIPO 标准或修订现有 WIPO 标准的提案，供标准委员会在 2017 年举行的下届会议上审议批准（见文件 CWS/4BIS/16 第 109 段）。
3. 欧洲专利局作为权威文档工作队牵头人，就工作队开展的工作编写了一份进度报告，转录于本文件附件一。
4. 在第 51 号任务的框架内，权威文档工作队编写了公开的专利文献权威文档建议草案，作为一个新 WIPO 标准供标准委员会审议批准。新标准的拟议名称是“WIPO 标准 ST. 37——公开的专利文献权威文档建议”。拟议的建议草案包括主体和两个附件，转录于本文件附件二。
5. 拟议的标准草案对权威文档建议了两种格式：文本和 XML（首选）。工作队仍在编写两个附件（附件三和附件四），以确定并提供符合权威文档新建议及其他相关 WIPO 标准（例如，WIPO 标准 ST. 96）的 XML 架构（XSD）和数据类型定义（DTD）示例。

6. 考虑到拟议的建议草案载有附件三和附件四（见上文第 5 段），为避免可能出现混淆，在上述附件编写完成并经标准委员会批准之前，建议在标准中写入下列编者按：

国际局的编者按

权威文档工作队正在编写本标准的附件三和附件四，其中会确定 XML 架构（XSD）和数据类型定义（DTD）。现计划在 2018 年的第六届会议上提交 WIPO 标准委员会（CWS）审议批准。

在上述附件经标准委员会批准之前，对本标准的唯一建议格式为文本。

7. 如果标准草案和编者按经标准委员会批准，则第 51 号任务的说明应修改如下：

“编写‘WIPO 标准 ST. 37——公开的专利文献权威文档建议’附件三‘XML 架构（XSD）’和附件四‘数据类型定义（DTD）’，并提交给将于 2018 年举行的标准委员会第六届会议审议。”

8. 请标准委员会：

(a) 注意本文件的内容；

(b) 注意权威文档工作队的工作进度报告（参见上文第 3 段和本文件附件一）；

(c) 如上文第 4 段所述，对转录于本文件附件二的新标准“WIPO 标准 ST. 37——公开的专利文献权威文档建议”进行审议并做出决定；

(d) 对上文第 6 段所建议的编者按进行审议并做出决定；以及

(e) 对上文第 7 段所述的第 51 号任务说明修订意见进行审议并做出决定。

[后接附件]

关于“为国家或地区专利局发布的专利文献权威文档编写建议，使其他专利局和其他有关方面能够评估其收藏的已公布专利文献的完整性”的报告

背景

1. 权威文档工作队由 WIPO 标准委员会（CWS）在 2016 年 3 月举行的第四届会议续会（CWS/4BIS）上设立，负责处理第 51 号任务（见文件 CWS/4BIS/16 第 122(e) 段）：

“为国家或地区专利局发布的专利文献权威文档编写建议，使其他专利局和其他有关方面能够评估其收藏的已公布专利文献的完整性。”

2. 工作队还被要求：

“提交制定新 WIPO 标准或修订现有 WIPO 标准的提案，供标准委员会在 2017 年举行的下届会议上审议批准”。

3. 欧洲专利局（EPO）被委以工作队牵头人的职责。秘书处设立了一个维基空间，以便于工作队的讨论（AFTF 维基）。

进度报告

4. 工作队于 2016 年 6 月开始工作。讨论依据的是欧洲专利局拟定的一份草案。许多局都参与了这一过程，并发表了有用的意见。

5. 工作队确定了权威文档新建议的目标和范围，于 2016 年 9 月在日内瓦举行了一次现场会议，成立了数个 WebEx，并在 AFTF 维基中完成了两次讨论。

6. 拟议的建议结构如下：

- 主体；
- 附录一——定义文档示例；
- 附件二——文本文档（TXT）；
- 附件三——XML 架构（XSD）；以及
- 附件四——数据类型定义（DTD）。

7. 工作队现已完成了公开的专利文献权威文档拟议 WIPO 新标准（主体）及其附件一和附件二，并提交给了 WIPO 标准委员会第五届会议供批准。

8. 附件三和附件四分别确定了 XML 架构定义（XSD）和数据类型定义（DTD）格式。附件二定义了各工业产权局（IPO）目前最常用的权威文档数据交换文本（TXT）格式，因此工作队认为，拟议的标准符合标准委员会采用的最低要求。

路线图

9. 工作队继续就权威文档的两个额外的数据格式表示方法开展工作：XML 架构（XSD）和数据类型定义（DTD），以扩展拟议标准中权威文档的建议格式数字。现计划将其提交 WIPO 标准委员会在 2018 年举行的下一届会议审议。一旦批准，这些文件将作为附件三和附件四被纳入权威文档的建议之中。

STANDARD ST.37

RECOMMENDATION FOR AN AUTHORITY FILE OF PUBLISHED PATENT DOCUMENTS

Final Draft

Proposal presented by the Authority File Task Force for consideration and adoption at the CWS/5

INTRODUCTION

1. This Standard defines data elements to constitute an authority file of patent documents, as well as its structure and format.
2. The primary purpose of the authority file generated by an industrial property office (IPO) is to allow other IPOs and other interested parties to assess the completeness of the available patent documentation.
3. In order to allow consistency checks, the authority file should contain the list of all publication numbers assigned by the IP office. This may include publication numbers for which no published document is available – this can be the case for applications withdrawn shortly before the publication or for destroyed documents – as well as publication numbers for which the publication contains only bibliographic data.

DEFINITIONS

4. For the purposes of this Standard:
 - a) the term “patent documents” includes patents for inventions, plant patents, design patents, inventors’ certificates, utility certificates, utility models, patents of addition, inventors’ certificates of addition, utility certificates of addition, and published applications therefor. “Documents” means patent documents, unless otherwise stated;
 - b) the terms “publication” and “published” are used in the sense of making available:
 - (i) a patent document to the public for inspection or supplying a copy on request; and
 - (ii) multiple copies of a patent document produced on, or by, any medium (e.g., paper, film, magnetic tape or disc, optical disc, online database, computer network, etc.); and
 - c) according to certain national industrial property laws or regulations or regional or international industrial property conventions or treaties, the same patent application may be published at various procedural stages. For the purpose of this standard, a “publication level” is defined as the level corresponding to a procedural stage at which normally a document is published under a given national industrial property law or under a regional or international industrial property convention or treaty.

REFERENCES

5. References to the following Standards are of relevance to this Recommendation:

WIPO Standard ST.1	Recommendation Concerning the Minimum Data Elements Required to Uniquely Identify a Patent Document
WIPO Standard ST.2	Standard Manner for Designating Calendar Dates by Using the Gregorian Calendar
WIPO Standard ST.3	Recommended Standard on Two–Letter Codes for the Representation of States, Other Entities and Intergovernmental Organizations
WIPO Standard ST.6	Recommendation for the Numbering of Published Patent Documents
WIPO Standard ST.10/C	Presentation of Bibliographic Data Components
WIPO Standard ST.16	Recommended Standard Code for the Identification of Different Kinds of Patent Documents
WIPO Standard ST.36	Recommendation for the Processing of Patent Information Using XML (eXtensible Markup Language)
WIPO Standard ST.96	Recommendation for the Processing of Industrial Property Information Using XML (eXtensible Markup Language)

RECOMMENDATIONS

6. An authority file is generated by the IPO and contains a list of all patent documents published by that IP office from the first publication onwards. It should also include document numbers which were allocated but for which no published document is available (see paragraphs 22 to 25 below).

7. For practical reasons, an authority file may not include documents published during certain period (not longer than two months) before the date when the authority file was generated by the IP office. This period depends on the document processing practices of the IP office and, should an IP office submit a definition file as laid down in paragraphs 33 and 34 below, then it is recommended to indicate there the date of the publication of the latest document listed in the authority file.

DATA ELEMENTS

8. For each publication, the authority file should contain the following minimum data elements to uniquely identify all types of patent documents as originally published by the IP office:

- a) Two-letter alphabetic code of the IPO publishing the document (publication authority);
- b) publication number;
- c) kind code of the patent document (kind-of-document code); and
- d) publication date.

9. In addition to the elements listed above, the authority file may contain the following data elements:

- a) publication exception code (to indicate, for example, withdrawn or missing documents);
- b) priority application identification of the corresponding publication, which should contain the following sub-elements:
 - i. two-letter alphabetic code of the IPO publishing the priority application;
 - ii. priority application number;
 - iii. kind-of-document code of the priority application; and
 - iv. filing date of the priority application.
- c) application identification of the corresponding publication, which should contain the following sub-elements:
 - v. two-letter alphabetic code of the IPO publishing the application;
 - vi. application number;
 - vii. kind-of-document code; and
 - viii. filing date.

10. Publication exception code (as per paragraph 9(a) above) should be always included for the documents, for which the complete publication in machine-readable form is not available (see paragraphs 22 to 25 below). Otherwise, the data element "publication exception code" should not be populated.

11. The provision of the optional data elements indicated in paragraphs 9(b) and 9(c) above remains within the discretion of the IPO generating the authority file.

12. The list of documents in the authority file should be sorted firstly by publication number, secondly by type of document (kind code), thirdly by publication date and (optionally) fourthly by publication exception code and fifthly by priority number.

13. For the cases where a publication number has been allocated but no document has been published, data elements "kind code" and "publication date" may not be populated.

Field formatting

14. All elements and sub-elements listed in paragraphs 8 and 9 above must be recorded in separate fields.

15. Examples of text format and XML file structures are provided in Annexes II to IV.

Publication Authority

16. The two-letter alphabetic code for the publication authority – country or region of the IPO generating the authority file – should follow recommendations of WIPO Standard ST.3.

Publication Number

17. Any non-alphanumeric characters – for example, those used as separators, such as dots, commas, dashes, slashes, spaces – should preferably be removed from the publication number, while generally the publication number should be following the recommendations of WIPO Standard ST.6.

Kind Code

18. Different kinds of patent documents should be identified following the recommendations of WIPO Standard ST.16. If the IP office uses kind-of-document codes which do not follow the recommendations of WIPO Standard ST.16, the definitions of such codes should be provided in the definition file (see paragraphs 33 and 34 below).

19. If no kind of patent document code was allocated or it is unknown, the corresponding data element “kind code” may not be populated.

Publication date

20. The publication date should be presented in accordance with paragraph 7(a) of WIPO Standard ST.2. For example, ‘20170602’ for ‘June 2, 2017’.

21. If the publication date is unknown to the IP office generating the authority file, the corresponding data element “publication date” may not be populated.

Publication exception code

22. The publication exception code should be used for publication numbers for which the complete publication is not available in machine-readable form.

23. The following single–alphabetic letter codes should be used to indicate the reason why the complete published document, for which the corresponding number is assigned, is not available:

C	Defective documents.
D	Documents deleted after the publication.
E	EuroPCT applications which have not been republished. An Euro-PCT application is an international (PCT) patent application that entered the European regional phase.
M	Missing published documents.
N	Not used publication number, for example, when publication numbers have been issued, but for some reason have not been allocated to any publication. See also paragraph 24 below.
P	Documents available on paper only.
R	Reissued publications.
U	Unknown publication numbers, for example, when during compilation of the authority file certain publication numbers have been found in the database, but the corresponding documents are missing without known cause. Typically this code can indicate a database error that requires further analysis.
W	Applications (or patents), which were withdrawn before the publication; this can include lapsed or ceased patents and might depend on national patent law regulations.
X	Code available for individual or provisional use by an IPO.

24. It is recommended to list only the numbers assigned by the IPO, but in case of small gaps in the numbering sequence (less than 1000 consecutive publication numbers), the IPO may use the publication exception code “N” to identify the numbers, which were not used.

25. The use of codes “N”, “W” and “X” should be described in the definition file (see paragraphs 33 and 34 below).

Priority application identification

26. The recommendations for data elements, as indicated in paragraphs 16 to 21 above, should be applied mutatis mutandis to all sub-elements of “priority application identification” element.

27. Priority application numbers should be indicated in accordance with paragraphs 12 and 13 of WIPO Standard ST.10/C.

Application Identification

28. The recommendations for data elements, as indicated in paragraphs 16 to 21 above, should be applied mutatis mutandis to all sub-elements of “application identification” element.

29. Application numbers should be provided in the same format as it appeared on the original patent publication issued by the IP office.

RECOMMENDED STRUCTURE AND FORMAT OF THE AUTHORITY FILE

30. It is recommended to provide a single file for all publication numbers listed in the authority file.
31. If generating a single file proves impractical due to the resulting file size, the IP office may generate several files, dividing the list of publication numbers based on one of the following criteria:
- Publication date (file per year or several years);
 - Publication level (applications, granted IP rights); and
 - Types of patent documents (file per kind-of-document code).
32. To improve file handling, IPO may generate an update file which includes data for the current year and the last calendar year and a static file including all older data.

Definition File

33. If some of the records included in the authority file contain information, which is not evident or easily understandable, it is recommended to provide a definition file in addition to the authority file. For example, in the definition file the IP office may:
- describe specific criteria for building the authority file(s);
 - describe the use of publication exception codes, in particular codes “N”, “W” or “X”;
 - describe the use of kind-of-documents codes (see paragraph 18 above) or provide a reference to Part 7.3 of the WIPO Handbook if up-to-date information on kind-of-documents codes is already described in Part 7.3 of the WIPO Handbook;
 - indicate the date of the most recent document listed (see paragraph 7 above); and
 - describe the numbering systems used or provide a reference to Parts 7.2.6 and 7.2.7 of the WIPO Handbook if up-to-date information on the numbering systems used is already described in Parts 7.2.6 and 7.2.7 of the WIPO Handbook.
34. To assist other IP offices and interested parties in a first assessment of the completeness of the available patent documentation, the definition file may also include an overview of the data coverage, for example indicate the number of publications per year by kind code or by publication level. Annex I contains an example of a definition file to assist IP offices in drafting their definition files.

File Format

35. The file must be encoded using Unicode UTF-8.
36. With the aim to harmonize, as much as possible, the current practices to exchange and parsing of authority files, two file formats are recommended:
- XML (eXtensible Markup Language) format – to identify the content of data fields of an authority file (see paragraphs 8 and 9 above) using XML tags within an instance, either in an XML schema (as defined in Annex III) or a Document Type Definition (DTD) (see Annex IV) format; and
 - Text format (file extension TXT) – to identify the content of minimum data fields and the optional publication exception code element using a single text coded list, where the elements are separated by commas (preferred), tabs or semicolons and a “Carriage Return” (CRLF character) to represent the end of each record (as defined in Annex II). Text files are smaller in size than XML files.
37. XML is the preferred format for the purpose of this Standard, as it provides clear data element contents and allows automatic validation of its structure and type. IPOs may use text format for simple authority files, which contain minimum data elements (as per paragraph 8 above) and, if applicable, publication exception code only; the content of each data field should be obvious.

File name

38. The name of the authority file generated by an IPO should be structured as follows:
- for a single file (see paragraph 30 above) – CC_AF_YYYYMMDD, where “CC” is the ST.3 code of the IP office, “AF” means “authority file” and “YYYYMMDD” – date of the generation of the authority file.

For example,
EP_AF_20160327 – single authority file generated by the EPO on March 27, 2016; and
 - for each one of multiple files (see paragraph 31 above) CC_AF_{criterion information}_KofN_YYYYMMDD, where “CC” is the ST.3 code of the IPO, “AF” means “authority file”, {criterion information} is a place-holder and K is the index number of this file, N is the total number of files generated and “YYYYMMDD” – date of the generation of the authority file.

For example,
EP_AF_A-documents_1of2_20160327 – first of two parts of the authority file generated by the EPO on March 27, 2016, this part covers applications only;
EP_AF_B-documents_2of2_20160327 – second of two parts of the authority file generated by the EPO on March 27, 2016, this part covers granted patents only.

IMPLEMENTATION OF THE AUTHORITY FILE

39. In order to ensure efficiency of the data exchange, authority files in XML format must be structured according to the XML schema (XSD) or the data type definition (DTD) file as specified in Annex III and Annex IV, respectively.

40. The update frequency for the authority file should be at least annual.

41. It is recommended that IPOs generate and make available authority files covering all assigned document numbers, no later than two months after the last covered publication date. For example, an authority file with data coverage until the end of 2017 should be made available before March 1, 2018.

42. If an error is discovered in an authority file, a replacement file should be provided by the IP office as soon as possible.

[Annex I to ST.37 follows]

ST.37 - ANNEX I

EXAMPLE OF A DEFINITION FILE

DEFINITION FILE FOR XX AUTHORITY FILE

This definition file relates to the following authority file: XX_AF_20170322

Date of production

2017-03-22

Data coverage

Public XX documents from 1974-01-01 to 2016-12-31.

The XX authority file lists all XX patent and XX utility model publications

Coverage according to document type and kind-of-document code (see [Part 7.3 of the WIPO Handbook](#) for details on kind codes):

Type	Kind Code	Total
Patent Application	A1	125.568
Patent Application	A2	96.430
Patent Granted	B1	144.879
Utility Model Application	U	24.332
Utility Model Examined	Y1	18.445

A detailed (annual) data-coverage can be found online at <http://www.XX-office.org/coverage>.

Used options

- Application information is provided where available
- Priority data not included
- Publication Exception Codes used are the following:

Publication Exception Code	Definition
D	Documents deleted after the publication.
E	EuroPCT applications which have not been republished
M	Missing published documents
R	Reissued publications
U	Unknown publication numbers
X	Bibliographic details of filed patent applications, as announced in the Gazette published by the office
W	Applications (or patents), which were withdrawn before the publication

Remark:

R – Reissued publication

Before 2001-01-01 correction requests from applicants and proprietors at the XX office were registered and executed, but not recorded in necessary electronic formats. Therefore these so-called reissued publications are only available with bibliographic data but not as published documents.

Numbering Formats:

For details on the numbering systems used by XX office see the corresponding entries in Parts [7.2.6](#) and [7.2.7](#) of the WIPO Handbook.

[Annex II to ST.37 follows]

ST.37 - ANNEX II

TEXT FILE (TXT)

1. The authority file text structure lists the minimum data elements and the optional publication exception code element (see paragraphs 8 and 9) for each publication record in one line, separated by a comma (preferred), tab or semicolon and a "Carriage Return" (CRLF character) to represent the end of each record.
2. Data structure: <publication authority>,<publication number>,<kind-of-document code>,<publication date>,<publication exception code><CRLF>.
3. This example illustrates an authority file represented using a TXT structure where the data elements are separated by a comma:

```
...  
EP,2363052,A1,20110907,W<CRLF>  
EP,2363053,A2,20110907,M<CRLF>  
EP,2540632,A1,20130102,P<CRLF>  
EP,2540632,B1,20151202,<CRLF>
```

[Annex III to ST.37 follows]

ST.37 - ANNEX III

XML SCHEMA (XSD)

This Annex is under preparation by the Authority File Task Force. It is planned that the proposal will be presented for consideration and approval at the sixth session of the Committee on WIPO Standards to be held in 2018.

[Annex IV to ST.37 follows]

ST.37 - ANNEX IV

DATA TYPE DEFINITION (DTD)

This Annex is under preparation by the Authority File Task Force. It is planned that the proposal will be presented for consideration and approval at the sixth session of the Committee on WIPO Standards to be held in 2018.

[End of Annex IV and of Standard]

[附件二和文件完]