

## STANDARD ST.37

### RECOMMENDATION FOR AN AUTHORITY FILE OF PUBLISHED PATENT DOCUMENTS

#### Version 1.1

~~Adopted~~ Revision approved by the Committee on WIPO Standards (CWS)  
at its ~~fifth~~ sixth session on ~~June 2, 2017~~ October 19, 2018

#### Editorial Note by the International Bureau

~~Annexes III and IV to the present Standard, which define XML schema (XSD) and Data Type Definition (DTD), are under preparation by the Authority File Task Force. They are planned to be presented for consideration and adoption by the Committee on WIPO Standards (CWS) at its sixth session in 2018.~~

~~Until the said Annexes are adopted by the CWS, the only recommended format for the purpose of this Standard is text.~~

## STANDARD ST.37

### RECOMMENDATION FOR AN AUTHORITY FILE OF PUBLISHED PATENT DOCUMENTS

#### Version 1.1

~~Adopted~~ Revision approved by the Committee on WIPO Standards (CWS)  
at its ~~###sixth~~ session on ~~June 2, 2017~~ October 19, 2018

#### INTRODUCTION

1. This Standard defines data elements to constitute an authority file of patent documents, as well as its structure and format.
2. The primary purpose of the authority file generated by an industrial property office (IPO) is to allow other IPOs and other interested parties to assess the completeness of the available patent documentation.
3. In order to allow consistency checks, the authority file should contain the list of all publication numbers assigned by the IP office. This may include publication numbers for which no published document is available – this can be the case for applications withdrawn shortly before the publication or for destroyed documents – as well as publication numbers for which the publication contains only bibliographic data.

#### DEFINITIONS

4. For the purposes of this Standard:
  - (a) the term “patent documents” includes patents for inventions, plant patents, design patents, inventors’ certificates, utility certificates, utility models, patents of addition, inventors’ certificates of addition, utility certificates of addition, and published applications therefor. “Documents” means patent documents, unless otherwise stated;
  - (b) the terms “publication” and “published” are used in the sense of making available:
    - (i) a patent document to the public for inspection or supplying a copy on request; and
    - (ii) multiple copies of a patent document produced on, or by, any medium (e.g., paper, film, magnetic tape or disc, optical disc, online database, computer network, etc.); and
  - (c) according to certain national industrial property laws or regulations or regional or international industrial property conventions or treaties, the same patent application may be published at various procedural stages. For the purpose of this standard, a “publication level” is defined as the level corresponding to a procedural stage at which normally a document is published under a given national industrial property law or under a regional or international industrial property convention or treaty.

#### REFERENCES

5. References to the following Standards are of relevance to this Recommendation:

WIPO Standard ST.1	Recommendation Concerning the Minimum Data Elements Required to Uniquely Identify a Patent Document
WIPO Standard ST.2	Standard Manner for Designating Calendar Dates by Using the Gregorian Calendar
WIPO Standard ST.3	Recommended Standard on Two–Letter Codes for the Representation of States, Other Entities and Intergovernmental Organizations
WIPO Standard ST.6	Recommendation for the Numbering of Published Patent Documents
WIPO Standard ST.10/C	Presentation of Bibliographic Data Components
WIPO Standard ST.16	Recommended Standard Code for the Identification of Different Kinds of Patent Documents
WIPO Standard ST.36	Recommendation for the Processing of Patent Information Using XML (eXtensible Markup Language)

WIPO Standard ST.96 Recommendation for the Processing of Industrial Property Information Using XML (eXtensible Markup Language)

#### RECOMMENDATIONS

6. An authority file is generated by the IPO and contains a list of all patent documents published by that IP office from the first publication onwards. It should also include document numbers which were allocated but for which no published document is available (see paragraphs 22 to 25 below).

7. For practical reasons, an authority file may not include documents published during certain period (not longer than two months) before the date when the authority file was generated by the IP office. This period depends on the document processing practices of the IP office and, should an IP office submit a definition file as laid down in paragraphs 33 and 34 below, then it is recommended to indicate there the date of the publication of the latest document listed in the authority file.

#### DATA ELEMENTS

8. For each publication, the authority file should contain the following minimum data elements to uniquely identify all types of patent documents as originally published by the IP office:

- (a) Two-letter alphabetic code of the IPO publishing the document (publication authority);
- (b) publication number;
- (c) kind code of the patent document (kind-of-document code); and
- (d) publication date.

9. In addition to the elements listed above, the authority file may contain the following data elements:

- (a) publication exception code (to indicate, for example, withdrawn or missing documents);
- (b) priority application identification of the corresponding publication, which should contain the following sub-elements:
  - i. two-letter alphabetic code of the IPO publishing the priority application;
  - ii. priority application number;
  - iii. kind-of-document code of the priority application; and
  - iv. filing date of the priority application.
- (c) application identification of the corresponding publication, which should contain the following sub-elements:
  - v. two-letter alphabetic code of the IPO publishing the application;
  - vi. application number;
  - vii. kind-of-document code; and
  - viii. filing date.

10. Publication exception code (as per paragraph 9(a) above) should be always included for the documents, for which the complete publication in machine-readable form is not available (see paragraphs 22 to 25 below). Otherwise, the data element "publication exception code" should not be populated.

11. The provision of the optional data elements indicated in paragraphs 9(b) and 9(c) above remains within the discretion of the IPO generating the authority file.

12. The list of documents in the authority file should be sorted firstly by publication number, secondly by type of document (kind code), thirdly by publication date and (optionally) fourthly by publication exception code and fifthly by priority number.

13. For the cases where a publication number has been allocated but no document has been published, data elements "kind code" and "publication date" may not be populated.

#### Field formatting

14. All elements and sub-elements listed in paragraphs 8 and 9 above must be recorded in separate fields.
15. Examples of text format and XML file structures are provided in Annexes II to IV.

Publication Authority

16. The two-letter alphabetic code for the publication authority – country or region of the IPO generating the authority file – should follow recommendations of WIPO Standard ST.3.

Publication Number

17. Any non-alphanumeric characters – for example, those used as separators, such as dots, commas, dashes, slashes, spaces – should preferably be removed from the publication number, while generally the publication number should be following the recommendations of WIPO Standard ST.6.

Kind Code

18. Different kinds of patent documents should be identified following the recommendations of WIPO Standard ST.16. If the IP office uses kind-of-document codes which do not follow the recommendations of WIPO Standard ST.16, the definitions of such codes should be provided in the definition file (see paragraphs 33 and 34 below).

19. If no kind of patent document code was allocated or it is unknown, the corresponding data element “kind code” may not be populated.

Publication date

20. The publication date should be presented in accordance with paragraph 7(a) of WIPO Standard ST.2. For example, ‘20170602’ for ‘June 2, 2017’.

21. If the publication date is unknown to the IP office generating the authority file, the corresponding data element “publication date” may not be populated.

Publication exception code

22. The publication exception code should be used for publication numbers for which the complete publication is not available in machine-readable form.

23. The following single-alphabetic letter codes should be used to indicate the reason why the complete published document, for which the corresponding number is assigned, is not available:

C	Defective documents.
D	Documents deleted after the publication.
E	Publication number allocated by the IPO representing a PCT national/regional phase entry (for example Euro-PCT). No corresponding document published. A Euro-PCT application is an international (PCT) patent application that entered the European regional phase.
M	Missing published documents.
N	Not used publication number, for example, when publication numbers have been issued, but for some reason have not been allocated to any publication. See also paragraph 24 below.
P	Documents available on paper only.
R	Reissued publications.
U	Unknown publication numbers, for example, when during compilation of the authority file certain publication numbers have been found in the database, but the corresponding documents are missing without known cause. Typically this code can indicate a database error that requires further analysis.
W	Applications (or patents), which were withdrawn before the publication; this can include lapsed or ceased patents and might depend on national patent law regulations.
X	Code available for individual or provisional use by an IPO.

24. It is recommended to list only the numbers assigned by the IPO, but in case of small gaps in the numbering sequence (less than 1000 consecutive publication numbers), the IPO may use the publication exception code “N” to identify the numbers, which were not used.

25. The use of codes “N”, “W” and “X” should be described in the definition file (see paragraphs 33 and 34 below).

Priority application identification

26. The recommendations for data elements, as indicated in paragraphs 16 to 21 above, should be applied mutatis mutandis to all sub-elements of “priority application identification” element.

27. Priority application numbers should be indicated in accordance with paragraphs 12 and 13 of WIPO Standard ST.10/C.

#### Application Identification

28. The recommendations for data elements, as indicated in paragraphs 16 to 21 above, should be applied *mutatis mutandis* to all sub-elements of “application identification” element.

29. Application numbers should be provided in the same format as it appeared on the original patent publication issued by the IP office. If the IP office uses application number formats in the Authority File that are different from those used on the original publication, an explanation of the format should be provided in the definition file

#### RECOMMENDED STRUCTURE AND FORMAT OF THE AUTHORITY FILE

30. It is recommended to provide a single file for all publication numbers listed in the authority file.

31. If generating a single file proves impractical due to the resulting file size, the IP office may generate several files, dividing the list of publication numbers based on one of the following criteria:

- (a) Publication date (file per year or several years);
- (b) Publication level (applications, granted IP rights); and
- (c) Types of patent documents (file per kind-of-document code).

32. To improve file handling, IPO may generate an update file which includes data for the current year and the last calendar year and a static file including all older data.

#### Definition File

33. If some of the records included in the authority file contain information, which is not evident or easily understandable, it is recommended to provide a definition file in addition to the authority file. For example, in the definition file the IP office may:

- (a) describe specific criteria for building the authority file(s);
- (b) describe the use of publication exception codes, in particular codes “N”, “W” or “X”;
- (c) describe the use of kind-of-documents codes (see paragraph 18 above) or provide a reference to Part 7.3 of the WIPO Handbook if up-to-date information on kind-of-documents codes is already described in Part 7.3 of the WIPO Handbook;
- (d) indicate the date of the most recent document listed (see paragraph 7 above); and
- (e) describe the numbering systems used or provide a reference to Parts 7.2.6 and 7.2.7 of the WIPO Handbook if up-to-date information on the numbering systems used is already described in Parts 7.2.6 and 7.2.7 of the WIPO Handbook.

34. To assist other IP offices and interested parties in a first assessment of the completeness of the available patent documentation, the definition file may also include an overview of the data coverage, for example indicate the number of publications per year by kind code or by publication level. Annex I contains an example of a definition file to assist IP offices in drafting their definition files.

#### File Format

35. The file must be encoded using Unicode UTF-8.

36. With the aim to harmonize, as much as possible, the current practices to exchange and parsing of authority files, two file formats are recommended:

- (a) XML (eXtensible Markup Language) format – to identify the content of data fields of an authority file (see paragraphs 8 and 9 above) using XML tags within an instance, either in an XML schema (as defined in Annex III) or a Document Type Definition (DTD) (see Annex IV) format; and
- (b) Text format (file extension TXT) – to identify the content of minimum data fields and the optional publication exception code element using a single text coded list, where the elements are separated by commas (preferred), tabs or semicolons and a “Carriage Return and Line Feed” (CRLF character) to represent the end of each record (as defined in Annex II). Text files are smaller in size than XML files.

37. XML is the preferred format for the purpose of this Standard, as it provides clear data element contents and allows automatic validation of its structure and type. IPOs may use text format for simple authority files, which contain minimum data elements (as per paragraph 8 above) and, if applicable, publication exception code only; the content of each data field should be obvious.

File name

38. The name of the authority file generated by an IPO should be structured as follows:

- (a) for a single file (see paragraph 30 above) – CC\_AF\_YYYYMMDD, where “CC” is the ST.3 code of the IP office, “AF” means “authority file” and “YYYYMMDD” – date of the generation of the authority file.

For example,

EP\_AF\_20160327 – single authority file generated by the EPO on March 27, 2016; and

- (b) for each one of multiple files (see paragraph 31 above) CC\_AF\_{criterion information}\_KofN\_YYYYMMDD, where “CC” is the ST.3 code of the IPO, “AF” means “authority file”, {criterion information} is a place-holder and K is the index number of this file, N is the total number of files generated and “YYYYMMDD” – date of the generation of the authority file.

For example,

EP\_AF\_A-documents\_1of2\_20160327 – first of two parts of the authority file generated by the EPO on March 27, 2016, this part covers applications only;

EP\_AF\_B-documents\_2of2\_20160327 – second of two parts of the authority file generated by the EPO on March 27, 2016, this part covers granted patents only.

**IMPLEMENTATION OF THE AUTHORITY FILE**

39. In order to ensure efficiency of the data exchange, authority files in XML format must be structured according to the XML schema (XSD) or the data type definition (DTD) file as specified in Annex III and Annex IV, respectively.

40. The update frequency for the authority file should be at least annual.

41. It is recommended that IPOs generate and make available authority files covering all assigned document numbers, no later than two months after the last covered publication date. For example, an authority file with data coverage until the end of 2017 should be made available before March 1, 2018.

42. If an error is discovered in an authority file, a replacement file should be provided by the IP office as soon as possible.

[Annex I to ~~ST.37~~ follows]

## ANNEX I

### EXAMPLE OF A DEFINITION FILE

#### Version 1.1

~~Adopted~~ Revision approved by the Committee on WIPO Standards (CWS)  
at its ~~fourth~~ sixth session on ~~June 2, 2017~~ October 19, 2018

#### DEFINITION FILE FOR XX AUTHORITY FILE

This definition file relates to the following authority file: XX\_AF\_20170322

#### Date of production

2017-03-22

#### Data coverage

Public XX documents from 1974-01-01 to 2016-12-31.

The XX authority file lists all XX patent and XX utility model publications

Coverage according to document type and kind-of-document code (see Part 7.3 of the WIPO Handbook for details on kind codes):

Type	Kind Code	Total
Patent Application	A1	125.568
Patent Application	A2	96.430
Patent Granted	B1	144.879
Utility Model Application	U	24.332
Utility Model Examined	Y1	18.445

A detailed (annual) data-coverage can be found online at <http://www.XX-office.org/coverage>.

#### Used options

- Application information is provided where available
- Priority data not included
- Publication Exception Codes used are the following:

Publication Exception Code	Definition
<b>D</b>	Documents deleted after the publication.
<b>E</b>	PCT applications which have not been republished
<b>M</b>	Missing published documents
<b>R</b>	Reissued publications
<b>U</b>	Unknown publication numbers
<b>X</b>	Bibliographic details of filed patent applications, as announced in the Gazette published by the office
<b>W</b>	Applications (or patents), which were withdrawn before the publication

#### Remark:

R – Reissued publication

Before 2001-01-01 correction requests from applicants and proprietors at the XX office were registered and executed, but not recorded in necessary electronic formats. Therefore these so-called reissued publications are only available with bibliographic data but not as published documents.

#### Numbering Formats:

For details on the numbering systems used by XX office see the corresponding entries in Parts 7.2.6 and 7.2.7 of the WIPO Handbook.

[Annex II ~~to ST.37~~ follows]

## ANNEX II

### TEXT FILE (TXT)

#### Version 1.1

~~Adopted~~ Revision approved by the Committee on WIPO Standards (CWS)  
at its ~~fourth~~ sixth session on ~~June 2, 2017~~ October 19, 2018

1. The authority file text structure lists the minimum data elements and the optional publication exception code element (see paragraphs 8 and 9) for each publication record in one line, separated by a comma (preferred), tab or semicolon and a "Carriage Return and Line Feed" (CRLF character) to represent the end of each record.
2. Data structure: <publication authority>,<publication number>,<kind-of-document code>,<publication date>,<publication exception code><CRLF>.
3. This example illustrates an authority file represented using a TXT structure where the data elements are separated by a comma:

```
...  
EP,2363052,A1,20110907,W<CRLF>  
EP,2363053,A2,20110907,M<CRLF>  
EP,2540632,A1,20130102,P<CRLF>  
EP,2540632,B1,20151202,<CRLF>
```

[Annex III ~~to ST.37~~ follows]



### ANNEX III

#### XML SCHEMA DEFINITION (XSD) FOR AUTHORITY FILE

##### Version 1.1

*Adopted by the Committee on WIPO Standards (CWS)  
at its sixth session on October 19, 2018*

##### Editorial Note by the International Bureau

*Annex III of WIPO Standard ST.37 is the set of XML schema components to represent the minimum and extended data elements of an Authority File of patent documents issued by a Patent Office. Annex III is based on WIPO Standard ST.96, including the naming convention used to identify the names of the specific data components for Authority File. Annex III includes an Appendix which is a sample XML instance of an Authority File structured according to the XML schema.*

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:pat="http://www.wipo.int/standards/XMLSchema/ST96/Patent"
xmlns:com="http://www.wipo.int/standards/XMLSchema/ST96/Common"
targetNamespace="http://www.wipo.int/standards/XMLSchema/ST96/Patent"
elementFormDefault="qualified" attributeFormDefault="qualified">
  <xsd:import namespace="http://www.wipo.int/standards/XMLSchema/ST96/Common"
schemaLocation="Common V3 1 Custom.xsd"/>
  <xsd:import namespace="http://www.wipo.int/standards/XMLSchema/ST96/Common"
schemaLocation="AdditionalComment.xsd"/>
  <xsd:annotation>
    <xsd:documentation>As defined in WIPO ST.37 Authority File for patent documents,
which include patents for inventions, plant patents, design patents, inventors
certificates, utility certificates, utility models, patents of addition, inventors
certificates of addition, utility certificates of addition, and published applications
therefor.</xsd:documentation>
  </xsd:annotation>
  <xsd:element name="AFLatestDocumentDate" type="com:DateType">
    <xsd:annotation>
      <xsd:documentation>Date of the most recent document listed in authority
file</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="ApplicationFilingCategory"
type="pat:ApplicationFilingCategoryType">
    <xsd:annotation>
      <xsd:documentation>Describes the filing type of application i.e. PCT,
Regional or National</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:simpleType name="ApplicationFilingCategoryType">
    <xsd:restriction base="xsd:token">
      <xsd:enumeration value="PCT">
        <xsd:annotation>
          <xsd:documentation>PCT</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="Regional">
        <xsd:annotation>
          <xsd:documentation>Regional</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="National">
        <xsd:annotation>
          <xsd:documentation>National</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>

```

```

        </xsd:enumeration>
    </xsd:restriction>
</xsd:simpleType>
<xsd:element name="ApplicationIdentification"
type="pat:ApplicationIdentificationType">
    <xsd:annotation>
        <xsd:documentation>Identification of patent application. Refers to ST.9
INID Code 20.</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:complexType name="ApplicationIdentificationType">
    <xsd:sequence>
        <xsd:element ref="com:IPOfficeCode"/>
        <xsd:element ref="com:ApplicationNumber"/>
        <xsd:element ref="com:ApplicantFileReference" minOccurs="0"/>
        <xsd:element ref="com:FilingLanguageCode" minOccurs="0"/>
        <xsd:element ref="pat:ApplicationFilingCategory" minOccurs="0"/>
        <xsd:element ref="pat:InventionSubjectMatterCategory" minOccurs="0"/>
        <xsd:element ref="pat:FilingDate" minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute ref="com:id"/>
</xsd:complexType>
<xsd:element name="AttachedPriorityDocumentIndicator" type="xsd:boolean" fixed="true">
    <xsd:annotation>
        <xsd:documentation>The priority document is attached to the
application.</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="AuthorityFile" type="pat:AuthorityFileType">
    <xsd:annotation>
        <xsd:documentation>Authority File information</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="AuthorityFileDataCoverage"
type="pat:AuthorityFileDataCoverageType">
    <xsd:annotation>
        <xsd:documentation>List of patent documents published by industrial
property offices grouped according to their ST.16 kind-of-document codes for a given date
range</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:complexType name="AuthorityFileDataCoverageType">
    <xsd:sequence>
        <xsd:element ref="pat:PublicationDateRange"/>
        <xsd:element ref="pat:PublicationNumberRange" minOccurs="0"/>
        <xsd:element ref="pat:KindCodeCoverage" minOccurs="0"/>
        <xsd:element ref="pat:ExceptionCodeCoverage" minOccurs="0"/>
        <xsd:element ref="pat:DataCoverageURI" minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>
<xsd:element name="AuthorityFileDefinition" type="pat:AuthorityFileDefinitionType">
    <xsd:annotation>
        <xsd:documentation>Definition file relates to the associated authority
file</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:complexType name="AuthorityFileDefinitionType">
    <xsd:choice maxOccurs="unbounded">
        <xsd:element ref="pat:ExceptionCodeList"/>
        <xsd:element ref="pat:PatentDocumentKindCodeList"/>
        <xsd:element ref="pat:MostRecentDocument"/>
        <xsd:element ref="pat:AuthorityFileDataCoverage"/>
        <xsd:element ref="com:AdditionalComment"/>
        <xsd:element ref="com:DocumentLocationURI"/>
    </xsd:choice>
    <xsd:attribute ref="com:id"/>
    <xsd:attribute ref="pat:contentCategory" use="required"/>

```

```

    <xsd:attribute ref="pat:groupCategory"/>
    <xsd:attribute ref="pat:backupCategory" use="required"/>
  </xsd:complexType>
  <xsd:element name="AuthorityFileEntry" type="pat:AuthorityFileEntryType">
    <xsd:annotation>
      <xsd:documentation>Data elements to uniquely identify all types of patent
documents as originally published by the IP office</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:complexType name="AuthorityFileEntryType">
    <xsd:sequence>
      <xsd:element ref="pat:PatentPublicationIdentification"/>
      <xsd:element ref="pat:ExceptionCode" minOccurs="0"/>
      <xsd:element ref="pat:ApplicationIdentification" minOccurs="0"/>
      <xsd:element ref="pat:PriorityClaimBag" minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute ref="com:id"/>
  </xsd:complexType>
  <xsd:complexType name="AuthorityFileType">
    <xsd:sequence>
      <xsd:element ref="pat:AuthorityFileDefinition" minOccurs="0"/>
      <xsd:element ref="pat:AuthorityFileEntry" maxOccurs="unbounded"/>
    </xsd:sequence>
    <xsd:attribute ref="com:officeCode" use="required"/>
    <xsd:attribute ref="com:creationDate"/>
  </xsd:complexType>
  <xsd:attribute name="backupCategory" type="pat:BackupCategoryType">
    <xsd:annotation>
      <xsd:documentation>Backup Category of authority file.</xsd:documentation>
    </xsd:annotation>
  </xsd:attribute>
  <xsd:simpleType name="BackupCategoryType">
    <xsd:restriction base="xsd:token">
      <xsd:enumeration value="full">
        <xsd:annotation>
          <xsd:documentation>Full</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="incremental">
        <xsd:annotation>
          <xsd:documentation>Incremental</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
      <xsd:enumeration value="differential">
        <xsd:annotation>
          <xsd:documentation>Differential</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:element name="BeginRangeNumber" type="xsd:string">
    <xsd:annotation>
      <xsd:documentation>Begin number of a range</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:attribute name="contentCategory" type="pat:ContentCategoryType">
    <xsd:annotation>
      <xsd:documentation>Content Category of authority file.</xsd:documentation>
    </xsd:annotation>
  </xsd:attribute>
  <xsd:simpleType name="ContentCategoryType">
    <xsd:restriction base="xsd:token">
      <xsd:enumeration value="complete">
        <xsd:annotation>
          <xsd:documentation>Complete</xsd:documentation>
        </xsd:annotation>
      </xsd:enumeration>
    </xsd:restriction>
  </xsd:simpleType>

```

```

        <xsd:enumeration value="grouped">
          <xsd:annotation>
            <xsd:documentation>Grouped</xsd:documentation>
          </xsd:annotation>
        </xsd:enumeration>
      </xsd:restriction>
    </xsd:simpleType>
    <xsd:element name="DataCoverageURI" type="xsd:anyURI">
      <xsd:annotation>
        <xsd:documentation>A detailed (annual) data-coverage can be found online at
http://www.XX-office.org/coverage</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="DocumentTotalQuantity" type="xsd:nonNegativeInteger">
      <xsd:annotation>
        <xsd:documentation>Total number of documents</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="EndRangeNumber" type="xsd:string">
      <xsd:annotation>
        <xsd:documentation>End number of a range</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="ExceptionCode" type="pat:ExceptionCodeType">
      <xsd:annotation>
        <xsd:documentation>Exception code</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="ExceptionCodeCoverage" type="pat:ExceptionCodeCoverageType">
      <xsd:annotation>
        <xsd:documentation>Data coverage summary by exception cited within a search
report is relevant to.</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="ExceptionCodeCoverageType">
      <xsd:sequence maxOccurs="unbounded">
        <xsd:element ref="pat:ExceptionCode"/>
        <xsd:element ref="pat:DocumentTotalQuantity"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:element name="ExceptionCodeDefinition" type="pat:ExceptionCodeDefinitionType">
      <xsd:annotation>
        <xsd:documentation>IPO specific use of publication exception code
definition</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="ExceptionCodeDefinitionType">
      <xsd:sequence>
        <xsd:element ref="pat:ExceptionCode"/>
        <xsd:element ref="pat:ExceptionCodeDescriptionText"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:element name="ExceptionCodeDescriptionText" type="xsd:string">
      <xsd:annotation>
        <xsd:documentation>Exception code description text</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="ExceptionCodeList" type="pat:ExceptionCodeListType">
      <xsd:annotation>
        <xsd:documentation>IPO specific use of publication exception
codes</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="ExceptionCodeListType">
      <xsd:sequence maxOccurs="unbounded">
        <xsd:element ref="pat:ExceptionCodeDefinition"/>
      </xsd:sequence>

```

```

</xsd:complexType>
<xsd:simpleType name="ExceptionCodeType">
  <xsd:restriction base="xsd:token">
    <xsd:enumeration value="C">
      <xsd:annotation>
        <xsd:documentation>Defective publication documents
      </xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="D">
    <xsd:annotation>
      <xsd:documentation>The document was deleted after the
publication</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="E">
    <xsd:annotation>
      <xsd:documentation>Publication number allocated by the IPO
representing a PCT national/regional phase entry (for example Euro-PCT). No corresponding
document published. A Euro-PCT application is an international (PCT) patent application
that entered the European regional phase.
    </xsd:documentation>
  </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="M">
    <xsd:annotation>
      <xsd:documentation>Published document is
missing</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="N">
    <xsd:annotation>
      <xsd:documentation>The use of codes "N" should refer to the IPO
definition file</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="P">
    <xsd:annotation>
      <xsd:documentation>Document available only on
paper</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="R">
    <xsd:annotation>
      <xsd:documentation>Reissued publication</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="U">
    <xsd:annotation>
      <xsd:documentation>Unknown publication number, for example,
when during compilation of the authority file one or a list of publication number(s) has
been found in the database, but the corresponding document(s) is(are) missing without known
cause. Typically this code can indicate could be a database error that requires further
analysis.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="W">
    <xsd:annotation>
      <xsd:documentation>The use of codes "W" should refer to the IPO
definition file</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="X">
    <xsd:annotation>
      <xsd:documentation>The use of codes "X" should refer to the IPO
definition file</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>

```

```

        </xsd:enumeration>
    </xsd:restriction>
</xsd:simpleType>
<xsd:element name="FilingDate" type="com:DateType">
    <xsd:annotation>
        <xsd:documentation>The date assigned by the Patent Office that identifies
when an application meets certain criteria to qualify as having been filed. Refers to ST.9
INID Code 22.</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:attribute name="groupCategory" type="pat:GroupCategoryType">
    <xsd:annotation>
        <xsd:documentation>Group Category of authority file.</xsd:documentation>
    </xsd:annotation>
</xsd:attribute>
<xsd:simpleType name="GroupCategoryType">
    <xsd:restriction base="xsd:token">
        <xsd:enumeration value="date">
            <xsd:annotation>
                <xsd:documentation>Date</xsd:documentation>
            </xsd:annotation>
        </xsd:enumeration>
        <xsd:enumeration value="publication-level">
            <xsd:annotation>
                <xsd:documentation>Publication level</xsd:documentation>
            </xsd:annotation>
        </xsd:enumeration>
        <xsd:enumeration value="document-kind">
            <xsd:annotation>
                <xsd:documentation>Document kind</xsd:documentation>
            </xsd:annotation>
        </xsd:enumeration>
    </xsd:restriction>
</xsd:simpleType>
<xsd:element name="IncorporationByReferenceIndicator" type="xsd:boolean" fixed="true">
    <xsd:annotation>
        <xsd:documentation>Indicate that an element or part is incorporated by
reference in the (international) application</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="IndicatedIPOfficeCode" type="com:ExtendedWIPOST3CodeType">
    <xsd:annotation>
        <xsd:documentation>Where the earlier application is a regional or
international application, an ST.3 code identifying a country party to the Paris Convention
or a member of the WTO for which the regional or international application was made and
which is indicated in the priority claim. Refers to ST.9 INID Code 34.</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="InventionSubjectMatterCategory"
type="pat:InventionSubjectMatterCategoryType">
    <xsd:annotation>
        <xsd:documentation>Describes the type of invention i.e. Design, Utility or
Plant</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:simpleType name="InventionSubjectMatterCategoryType">
    <xsd:restriction base="xsd:token">
        <xsd:enumeration value="Design">
            <xsd:annotation>
                <xsd:documentation>Design</xsd:documentation>
            </xsd:annotation>
        </xsd:enumeration>
        <xsd:enumeration value="Utility">
            <xsd:annotation>
                <xsd:documentation>Utility</xsd:documentation>
            </xsd:annotation>
        </xsd:enumeration>
    </xsd:restriction>
</xsd:simpleType>

```

```

        <xsd:enumeration value="Plant">
          <xsd:annotation>
            <xsd:documentation>Plant</xsd:documentation>
          </xsd:annotation>
        </xsd:enumeration>
      </xsd:restriction>
    </xsd:simpleType>
    <xsd:element name="KindCodeCoverage" type="pat:KindCodeCoverageType">
      <xsd:annotation>
        <xsd:documentation>Data coverage summary by kind code cited within a search
report is relevant to.</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="KindCodeCoverageType">
      <xsd:sequence maxOccurs="unbounded">
        <xsd:element ref="com:PatentDocumentKindCode"/>
        <xsd:element ref="pat:DocumentTotalQuantity"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:attribute name="libraryIdentifier" type="xsd:token">
      <xsd:annotation>
        <xsd:documentation>The library-identifier attribute is intended as an
identifying code for the library containing priority documents - to be used where offices
support the access of the documents from many such libraries. The recommended format of
library-identifier should be composed of a WIPO Standard ST.3 code of the operating Office
of service or digital library, together with service (or digital library) name (optional)
separated by a hyphen to allow for the fact that some Office may operate more than one
library. For example, "IB-DAS" for Digital Access Service for Priority Documents run by
WIPO.</xsd:documentation>
      </xsd:annotation>
    </xsd:attribute>
    <xsd:element name="MostRecentDocument" type="pat:MostRecentDocumentType">
      <xsd:annotation>
        <xsd:documentation>Most recent document information.</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="MostRecentDocumentType">
      <xsd:sequence>
        <xsd:element ref="pat:PublicationNumber"/>
        <xsd:element ref="com:PublicationDate"/>
      </xsd:sequence>
      <xsd:attribute ref="com:id"/>
    </xsd:complexType>
    <xsd:element name="OnlineAvailablePriorityDocumentIndicator"
type="pat:OnlineAvailablePriorityDocumentIndicatorType">
      <xsd:annotation>
        <xsd:documentation>Where the priority document is made available to the
corresponding IPO (e.g., RO or the IB) from a digital library to obtain the priority
document from such digital library</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="OnlineAvailablePriorityDocumentIndicatorType">
      <xsd:simpleContent>
        <xsd:extension base="pat:TrueType">
          <xsd:attribute ref="pat:libraryIdentifier"/>
          <xsd:attribute ref="com:officeCode"/>
        </xsd:extension>
      </xsd:simpleContent>
    </xsd:complexType>
    <xsd:element name="PatentDocumentKindCodeDefinition"
type="pat:PatentDocumentKindCodeDefinitionType">
      <xsd:annotation>
        <xsd:documentation>IPO specific use of kind-of-documents code
definition</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="PatentDocumentKindCodeDefinitionType">

```

```

<xsd:sequence>
  <xsd:element ref="com:PatentDocumentKindCode"/>
  <xsd:element ref="pat:PatentDocumentKindCodeDescriptionText"/>
</xsd:sequence>
</xsd:complexType>
<xsd:element name="PatentDocumentKindCodeDescriptionText" type="xsd:string">
  <xsd:annotation>
    <xsd:documentation>IPO patent document kind code
definition</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="PatentDocumentKindCodeList"
type="pat:PatentDocumentKindCodeListType">
  <xsd:annotation>
    <xsd:documentation>IPO specific use of kind-of-documents
codes</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:complexType name="PatentDocumentKindCodeListType">
  <xsd:sequence maxOccurs="unbounded">
    <xsd:element ref="pat:PatentDocumentKindCodeDefinition"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:element name="PatentPublicationIdentification"
type="pat:PatentPublicationIdentificationType">
  <xsd:annotation>
    <xsd:documentation>Identification of published patent document. Refers to
ST.9 INID Code 10.</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:complexType name="PatentPublicationIdentificationType">
  <xsd:sequence>
    <xsd:element ref="com:IPOfficeCode"/>
    <xsd:element ref="pat:PublicationNumber"/>
    <xsd:element ref="com:PublicationLanguageCode" minOccurs="0"/>
    <xsd:element ref="com:PatentDocumentKindCode" minOccurs="0"/>
    <xsd:element ref="com:PublicationDate" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute ref="com:id"/>
</xsd:complexType>
<xsd:element name="PriorityClaim" type="pat:PriorityClaimType">
  <xsd:annotation>
    <xsd:documentation>Priority claim information</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="PriorityClaimBag" type="pat:PriorityClaimBagType">
  <xsd:annotation>
    <xsd:documentation>Applications in which priority is claimed. Refers to
ST.9 INID Code 30.</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:complexType name="PriorityClaimBagType">
  <xsd:sequence>
    <xsd:element ref="pat:PriorityClaim" maxOccurs="unbounded"/>
    <xsd:element ref="pat:IncorporationByReferenceIndicator" minOccurs="0"/>
  </xsd:sequence>
  <xsd:attribute ref="com:id"/>
</xsd:complexType>
<xsd:complexType name="PriorityClaimType">
  <xsd:sequence>
    <xsd:element ref="com:IPOfficeCode"/>
    <xsd:element ref="com:ApplicationNumber" minOccurs="0"/>
    <xsd:element ref="com:PatentDocumentKindCode" minOccurs="0"/>
    <xsd:element ref="pat:FilingDate"/>
    <xsd:element ref="pat:IndicatedIPOfficeCode" minOccurs="0"
maxOccurs="unbounded"/>
    <xsd:element ref="pat:ApplicationFilingCategory" minOccurs="0"/>
  </xsd:sequence>

```



```

        <xsd:choice minOccurs="0">
          <xsd:element ref="pat:RequestedPriorityDocumentIndicator"/>
          <xsd:element ref="pat:AttachedPriorityDocumentIndicator"/>
          <xsd:element ref="pat:OnlineAvailablePriorityDocumentIndicator"/>
          <xsd:element ref="com:DASAccessCode"/>
        </xsd:choice>
      </xsd:sequence>
      <xsd:attribute ref="com:id"/>
      <xsd:attribute ref="com:sequenceNumber" use="required"/>
    </xsd:complexType>
    <xsd:element name="PublicationDateRange" type="pat:PublicationDateRangeType">
      <xsd:annotation>
        <xsd:documentation>Publication date range cited within a search report is
relevant to.</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="PublicationDateRangeType">
      <xsd:sequence>
        <xsd:element ref="com:StartDate"/>
        <xsd:element ref="com:EndDate"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:element name="PublicationNumber" type="xsd:string">
      <xsd:annotation>
        <xsd:documentation>Publication Number</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="PublicationNumberRange" type="pat:PublicationNumberRangeType">
      <xsd:annotation>
        <xsd:documentation>A collection of publication numbers cited within a
search report is relevant to.</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:complexType name="PublicationNumberRangeType">
      <xsd:sequence>
        <xsd:element ref="pat:BeginRangeNumber"/>
        <xsd:element ref="pat:EndRangeNumber"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:element name="RequestedPriorityDocumentIndicator" type="xsd:boolean"
fixed="true">
      <xsd:annotation>
        <xsd:documentation>The receiving office is requested to prepare and
transmit to the IB a certified copy of the earlier application</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:simpleType name="TrueType">
      <xsd:restriction base="xsd:boolean">
        <xsd:pattern value="true"/>
      </xsd:restriction>
    </xsd:simpleType>
  </xsd:schema>

```

[Appendix to Annex III to ST.37 follows]

APPENDIX

```
<?xml version="1.0" encoding="UTF-8"?>
<pat:AuthorityFile xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:com="http://www.wipo.int/standards/XMLSchema/ST96/Common"
xmlns:pat="http://www.wipo.int/standards/XMLSchema/ST96 Patent" com:officeCode="EP"
com:creationDate="20180628"
xsi:schemaLocation="http://www.wipo.int/standards/XMLSchema/ST96/Patent
AuthorityFile_V1_0.xsd">
  <pat:AuthorityFileDefinition pat:contentCategory="complete"
pat:groupCategory="document-kind" pat:backupCategory="full">
    <pat:ExceptionCodeList>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>C</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Defective
Document</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>D</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Deleted
Document</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>E</pat:ExceptionCode>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDescriptionText>EuroPCT</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>M</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Missing
Document</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>N</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Not used publication
number</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>R</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Reissued
Publication</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>U</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Unknown Publication
Number</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
      <pat:ExceptionCodeDefinition>
        <pat:ExceptionCode>W</pat:ExceptionCode>
        <pat:ExceptionCodeDescriptionText>Withdrawn
Publication</pat:ExceptionCodeDescriptionText>
      </pat:ExceptionCodeDefinition>
    </pat:ExceptionCodeList>
    <pat:PatentDocumentKindCodeList>
      <pat:PatentDocumentKindCodeDefinition>
        <com:PatentDocumentKindCode>A1</com:PatentDocumentKindCode>
        <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application with search report</pat:PatentDocumentKindCodeDescriptionText>
      </pat:PatentDocumentKindCodeDefinition>
      <pat:PatentDocumentKindCodeDefinition>
        <com:PatentDocumentKindCode>A2</com:PatentDocumentKindCode>
        <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application without search report</pat:PatentDocumentKindCodeDescriptionText>
      </pat:PatentDocumentKindCodeDefinition>
    </pat:PatentDocumentKindCodeList>
  </pat:AuthorityFileDefinition>
</pat:AuthorityFile>
```

```

    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>A3</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application search report</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>A4</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application supplementary search report</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>A8</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application correction title page</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>A9</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Application correction complete document</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>B1</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Specification</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>B2</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Specification after opposition procedure</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>B3</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Specification after limitation procedure</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>B8</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Specification correction title page</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
    <pat:PatentDocumentKindCodeDefinition>
      <com:PatentDocumentKindCode>B9</com:PatentDocumentKindCode>
      <pat:PatentDocumentKindCodeDescriptionText>European Patent
Specification coorection complete document</pat:PatentDocumentKindCodeDescriptionText>
    </pat:PatentDocumentKindCodeDefinition>
  </pat:PatentDocumentKindCodeList>
  <pat:MostRecentDocument>
    <pat:PublicationNumber>3340760</pat:PublicationNumber>
    <com:PublicationDate>20180627</com:PublicationDate>
  </pat:MostRecentDocument>
  <pat:AuthorityFileDataCoverage>
    <pat:PublicationDateRange>
      <com:StartDate>19781220</com:StartDate>
      <com:EndDate>20180627</com:EndDate>
    </pat:PublicationDateRange>
    <pat:PublicationNumberRange>
      <pat:BeginRangeNumber>0000001</pat:BeginRangeNumber>
      <pat:EndRangeNumber>3340760</pat:EndRangeNumber>
    </pat:PublicationNumberRange>
  </pat:AuthorityFileDataCoverage>
  <pat:KindCodeCoverage>
    <com:PatentDocumentKindCode>A1</com:PatentDocumentKindCode>
    <pat:DocumentTotalQuantity>2349815</pat:DocumentTotalQuantity>
    <com:PatentDocumentKindCode>A1</com:PatentDocumentKindCode>
    <pat:DocumentTotalQuantity>2349815</pat:DocumentTotalQuantity>
    <com:PatentDocumentKindCode>A2</com:PatentDocumentKindCode>
    <pat:DocumentTotalQuantity>990536</pat:DocumentTotalQuantity>
    <com:PatentDocumentKindCode>A3</com:PatentDocumentKindCode>
  </pat:KindCodeCoverage>

```

```

<pat:DocumentTotalQuantity>647166</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>A4</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>568084</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>A8</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>3623</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>A9</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>2367</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>B1</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>1636205</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>B2</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>22929</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>B3</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>379</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>B8</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>12012</pat:DocumentTotalQuantity>
<com:PatentDocumentKindCode>B9</com:PatentDocumentKindCode>
<pat:DocumentTotalQuantity>5668</pat:DocumentTotalQuantity>
</pat:KindCodeCoverage>
<pat:ExceptionCodeCoverage>
  <pat:ExceptionCode>C</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>1</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>D</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>473</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>E</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>1382956</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>M</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>911</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>N</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>2742</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>R</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>5385</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>U</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>381</pat:DocumentTotalQuantity>
  <pat:ExceptionCode>W</pat:ExceptionCode>
  <pat:DocumentTotalQuantity>4840</pat:DocumentTotalQuantity>
</pat:ExceptionCodeCoverage>
</pat:AuthorityFileDataCoverage>
</pat:AuthorityFileDefinition>
<pat:AuthorityFileEntry>
  <pat:PatentPublicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <pat:PublicationNumber>0000001</pat:PublicationNumber>
    <com:PatentDocumentKindCode>A1</com:PatentDocumentKindCode>
    <com:PublicationDate>19871220</com:PublicationDate>
  </pat:PatentPublicationIdentification>
  <pat:ApplicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <com:ApplicationNumber>
      <com:ApplicationNumberText>78200013</com:ApplicationNumberText>
    </com:App>
    <pat:FilingDate>19780601</pat:FilingDate>
  </pat:ApplicationIdentification>
</pat:AuthorityFileEntry>
<pat:AuthorityFileEntry>
  <pat:PatentPublicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <pat:PublicationNumber>0000001</pat:PublicationNumber>
    <com:PatentDocumentKindCode>B1</com:PatentDocumentKindCode>
    <com:PublicationDate>19810107</com:PublicationDate>
  </pat:PatentPublicationIdentification>
  <pat:ApplicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <com:ApplicationNumber>
      <com:ApplicationNumberText>78200013</com:ApplicationNumberText>
    </com:App>
    <pat:FilingDate>19780601</pat:FilingDate>
  </pat:ApplicationIdentification>

```

```
</pat:AuthorityFileEntry>
<!--

EP data continues - following some example data on
Unknown and not used publication numbers

-->
<pat:AuthorityFileEntry>
  <pat:PatentPublicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <pat:PublicationNumber>0000849</pat:PublicationNumber>
  </pat:PatentPublicationIdentification>
  <pat:ExceptionCode>U</pat:ExceptionCode>
</pat:AuthorityFileEntry>
<pat:AuthorityFileEntry>
  <pat:PatentPublicationIdentification>
    <com:IPOfficeCode>EP</com:IPOfficeCode>
    <pat:PublicationNumber>1821590</pat:PublicationNumber>
  </pat:PatentPublicationIdentification>
  <pat:ExceptionCode>N</pat:ExceptionCode>
</pat:AuthorityFileEntry>
</pat:AuthorityFile>
```

[Annex VI follows]

**ANNEX IV**

**DOCUMENT TYPE DEFINITION (DTD) FOR AUTHORITY FILE**

**Version 1.1**

*Adopted by the Committee on WIPO Standards (CWS  
at its sixth session on October 19, 2018*

*Editorial Note by the International Bureau*

*Annex IV of WIPO Standard ST.37 is the set of XML DTD components to represent the minimum and extended data elements of an Authority File of patent documents issued by a Patent Office. Annex IV is based on WIPO Standard ST.36, including the naming convention used to identify the names of the specific data components for Authority File. Annex IV includes an Appendix which is a sample XML instance of an Authority File structured according to the XML DTD.*

<?xml version='1.0' encoding='UTF-8' ?>

<!--Annex IV of WIPO Authority File Standard ST.37, XML Data Type Definition (DTD) for Authority Files

This entity may be identified by the PUBLIC identifier:

\*\*\*\*\*

\*

PUBLIC "-//WIPO//XSD AUTHORITY FILE 1.0//EN" "AuthorityFile\_V1\_1.dtd"

\*\*\*\*\*

\*

\*\*\*\*\*

\*Revision of Annex IV was approved by the Committee on WIPO Standards (CWS) at its sixth session on October 19, 2018.

\*\*\*\*\*

\* PUBLIC DTD URL

\* [http://www.wipo.int/standards/DTD/AuthorityFile\\_V1\\_1.dtd](http://www.wipo.int/standards/DTD/AuthorityFile_V1_1.dtd)

\*\*\*\*\*

\*\*\*\*\*

\* CONTACTS

\*\*\*\*\*

[xml.standards@wipo.int](mailto:xml.standards@wipo.int)

-->

<!ELEMENT authority-file (authority-file-definition? , authority-file-entry\*)>

<!ATTLIST authority-file country CDATA #REQUIRED

date-produced CDATA #REQUIRED >

<!ELEMENT authority-file-definition (exception-code-list | document-kind-code-list | most-recent-document | data-coverage | additional-comment | document-location-uri)\*>

<!ATTLIST authority-file-definition content-category (complete | grouped ) #REQUIRED

group-category (date |

publication-level |

document-kind ) #IMPLIED

backup-category (full |

incremental |

differential ) #REQUIRED >

<!ELEMENT document-location-uri (#PCDATA)>

```

<!ELEMENT exception-code-list (exception-code-definition)+>
<!ELEMENT exception-code-definition (exception-code, exception-code-description)>
<!ELEMENT exception-code-description (#PCDATA)>
<!ELEMENT exception-code (#PCDATA)>
<!--
<!ATTLIST exception-code (C |
                                D |
                                E |
                                M |
                                N |
                                P |
                                R |
                                U |
                                W |
                                X ) #IMPLIED >
-->
<!ELEMENT document-kind-code-list (document-kind-code-definition)+>
<!ELEMENT document-kind-code-definition (kind, document-kind-code-description)+>
<!ELEMENT document-kind-code-description (#PCDATA)>
<!ELEMENT most-recent-document EMPTY>
<!ATTLIST most-recent-document publication-number CDATA #REQUIRED
                                publication-date CDATA #REQUIRED >
<!ELEMENT data-coverage (publication-date-range? , publication-number-range? , kind-code-
coverage? , exception-code-coverage? , data-coverage-uri?)>
<!ELEMENT publication-date-range EMPTY>
<!ATTLIST publication-date-range start-date CDATA #REQUIRED
                                end-date CDATA #REQUIRED >
<!ELEMENT publication-number-range EMPTY>
<!ATTLIST publication-number-range begin-range-number CDATA #REQUIRED
                                end-range-number CDATA #REQUIRED >
<!ELEMENT kind-code-coverage (kind, document-total-quantity)*>
<!ELEMENT document-total-quantity (#PCDATA)>
<!ELEMENT exception-code-coverage (exception-code, document-total-quantity)*>
<!ELEMENT data-coverage-uri (#PCDATA)>
<!ELEMENT authority-file-entry (publication-reference , exception-code? , application-
reference? , priority-claims?)>
<!ELEMENT publication-reference (document-id)>
<!-- document-id tag as defined in ST.36 -->
<!ELEMENT document-id (country , doc-number , kind? , date?)>
<!--Two-letter alphabetic codes which represent the names of states, other entities
and intergovernmental organizations the legislation of which provides for the protection of
IP rights or which organizations are acting in the framework of a treaty in the field of
IP. e.g. "XX".
Always in upper case.-->
<!ELEMENT country (#PCDATA)>
<!--Doc-number: The number of the referenced patent (or application) document-->
<!ELEMENT doc-number (#PCDATA)>

```

```
<!--Document kind code; e.g., A1 (WIPO ST.16)-->
<!ELEMENT kind (#PCDATA)>

<!--Date: components of a date. Format: YYYYMMDD (WIPO ST.2)-->
<!ELEMENT date (#PCDATA)>

<!--Publication exception code; single-alphabetic letter code to indicate the reason why
the complete published document, for which the corresponding number is assigned, is not
available:
C=Defective documents;
D= Documents deleted after the publication;
E=Publication number allocated by the IPO representing a PCT national/regional phase
entry (for example Euro-PCT). No corresponding document published. A Euro-PCT application
is an international (PCT) patent application that entered the European regional phase;
M=Missing published documents;
N=Not used publication number: e.g. publication numbers have been issued, but finally
have not been allocated to any publication;
P=Document available on paper only;
R=Reissued publications;
U=Unknown publication numbers: e.g. when during compilation of the authority file
certain publication number(s) has been found in the database, but the corresponding
document(s) is(are) missing without known cause. Typically this code can indicate a
database error that requires further analysis;
W=Applications (or patents) which were withdrawn before the publication;
this can include lapsed or ceased patents and might depend on national patent law
regulations;
X=Code available for individual or provisional use by an IPO;
-->

<!--Application reference information: application number, country.
In case of a filing reference, the kind code is empty and the date refers to the filing
date.
-->
<!ELEMENT application-reference (country , doc-number , filing-date?)>

<!--Filing Date: components of a date. Format: YYYYMMDD (WIPO ST.2)-->
<!ELEMENT filing-date (#PCDATA)>

<!--Priority application identification (priority-claim)-->
<!ELEMENT priority-claims (priority-claim+)>

<!ELEMENT priority-claim (country , doc-number , kind , date)>

<!ATTLIST priority-claim sequence          CDATA #REQUIRED
                priority-claim-kind (national | regional | international )
#REQUIRED >
<!ELEMENT additional-comment (#PCDATA)>
```

[Appendix to Annex IV follows]



APPENDIX

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE authority-file SYSTEM "AuthorityFileStandard V1.0.dtd">
<authority-file country="EP" date-produced="20180628">
  <authority-file-definition content-category="complete" backup-category="full" group-category="document-kind">
    <exception-code-list>
      <exception-code-definition>
        <exception-code>C</exception-code>
        <exception-code-description>Defective Document</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>D</exception-code>
        <exception-code-description>Deleted Document</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>E</exception-code>
        <exception-code-description>EuroPCT</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>M</exception-code>
        <exception-code-description>Missing Document</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>N</exception-code>
        <exception-code-description>Not used publication number</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>R</exception-code>
        <exception-code-description>Reissued Publication</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>U</exception-code>
        <exception-code-description>Unknown Publication Number</exception-code-description>
      </exception-code-definition>
      <exception-code-definition>
        <exception-code>W</exception-code>
        <exception-code-description>Withdrawn Publication</exception-code-description>
      </exception-code-definition>
    </exception-code-list>
    <document-kind-code-list>
      <document-kind-code-definition>
        <kind>A1</kind>
        <document-kind-code-description>European Patent Application with search
report</document-kind-code-description>
      </document-kind-code-definition>
      <document-kind-code-definition>
        <kind>A2</kind>
        <document-kind-code-description>European Patent Application without search
report</document-kind-code-description>
      </document-kind-code-definition>
      <document-kind-code-definition>
        <kind>A3</kind>
        <document-kind-code-description>European Patent Application search report</document-
kind-code-description>
      </document-kind-code-definition>
      <document-kind-code-definition>
        <kind>A4</kind>
        <document-kind-code-description>European Patent Application supplementary search
report</document-kind-code-description>
      </document-kind-code-definition>
      <document-kind-code-definition>
        <kind>A8</kind>
        <document-kind-code-description>European Patent Application correction title
page</document-kind-code-description>
      </document-kind-code-definition>
    </document-kind-code-list>
  </authority-file-definition>
</authority-file>

```

```

<kind>A9</kind>
<document-kind-code-description>European Patent Application correction complete
document</document-kind-code-description>
</document-kind-code-definition>
<document-kind-code-definition>
<kind>B1</kind>
<document-kind-code-description>European Patent Specification</document-kind-code-
description>
</document-kind-code-definition>
<document-kind-code-definition>
<kind>B2</kind>
<document-kind-code-description>European Patent Specification after opposition
procedure</document-kind-code-description>
</document-kind-code-definition>
<document-kind-code-definition>
<kind>B3</kind>
<document-kind-code-description>European Patent Specification after limitation
procedure</document-kind-code-description>
</document-kind-code-definition>
<document-kind-code-definition>
<kind>B8</kind>
<document-kind-code-description>European Patent Specification correction title
page</document-kind-code-description>
</document-kind-code-definition>
<document-kind-code-definition>
<kind>B9</kind>
<document-kind-code-description>European Patent Specification coorection complete
document</document-kind-code-description>
</document-kind-code-definition>
</document-kind-code-list>
<most-recent-document publication-number="3340760" publication-date="20180627"/>
<data-coverage>
<publication-date-range start-date="19781220" end-date="20180627"/>
<publication-number-range begin-range-number="0000001" end-range-number="3340760"/>
<kind-code-coverage>
<kind>A1</kind>
<document-total-quantity>2349815</document-total-quantity>
<kind>A1</kind>
<document-total-quantity>2349815</document-total-quantity>
<kind>A2</kind>
<document-total-quantity>990536</document-total-quantity>
<kind>A3</kind>
<document-total-quantity>647166</document-total-quantity>
<kind>A4</kind>
<document-total-quantity>568084</document-total-quantity>
<kind>A8</kind>
<document-total-quantity>3623</document-total-quantity>
<kind>A9</kind>
<document-total-quantity>2367</document-total-quantity>
<kind>B1</kind>
<document-total-quantity>1636205</document-total-quantity>
<kind>B2</kind>
<document-total-quantity>22929</document-total-quantity>
<kind>B3</kind>
<document-total-quantity>379</document-total-quantity>
<kind>B8</kind>
<document-total-quantity>12012</document-total-quantity>
<kind>B9</kind>
<document-total-quantity>5668</document-total-quantity>
</kind-code-coverage>
<exception-code-coverage>
<exception-code>C</exception-code>
<document-total-quantity>1</document-total-quantity>
<exception-code>D</exception-code>
<document-total-quantity>473</document-total-quantity>
<exception-code>E</exception-code>

```

```

<document-total-quantity>1382956</document-total-quantity>
<exception-code>M</exception-code>
<document-total-quantity>911</document-total-quantity>
<exception-code>N</exception-code>
<document-total-quantity>2742</document-total-quantity>
<exception-code>R</exception-code>
<document-total-quantity>5385</document-total-quantity>
<exception-code>U</exception-code>
<document-total-quantity>381</document-total-quantity>
<exception-code>W</exception-code>
<document-total-quantity>4840</document-total-quantity>
</exception-code-coverage>
</data-coverage>
</authority-file-definition>
<authority-file-entry>
  <publication-reference>
    <document-id>
      <country>EP</country>
      <doc-number>0000001</doc-number>
      <kind>A1</kind>
      <date>19871220</date>
    </document-id>
  </publication-reference>
  <application-reference>
    <country>EP</country>
    <doc-number>78200013</doc-number>
    <filing-date>19780601</filing-date>
  </application-reference>
</authority-file-entry>
<authority-file-entry>
  <publication-reference>
    <document-id>
      <country>EP</country>
      <doc-number>0000001</doc-number>
      <kind>B1</kind>
      <date>19810107</date>
    </document-id>
  </publication-reference>
  <application-reference>
    <country>EP</country>
    <doc-number>78200013</doc-number>
    <filing-date>19780601</filing-date>
  </application-reference>
</authority-file-entry>
<!--

```

EP data continues - following some example data on  
Unknown and not used publication numbers

```

-->
<authority-file-entry>
  <publication-reference>
    <document-id>
      <country>EP</country>
      <doc-number>0000849</doc-number>
    </document-id>
  </publication-reference>
  <exception-code>U</exception-code>
</authority-file-entry>
<authority-file-entry>
  <publication-reference>
    <document-id>
      <country>EP</country>
      <doc-number>1821590</doc-number>
    </document-id>
  </publication-reference>

```

`<exception-code>N</exception-code>`  
`</authority-file-entry>`  
`</authority-file>`

[End of Annex IV and of Standard]