



SCIT/7/6
ORIGINAL:English
DATE:April26,2002

WORLD INTELLECTUAL PROPERTY ORGANIZATION GENEVA

STANDINGCOMMITTEEO NINFORMATIONTECHNO LOGIES

PLENARY SeventhSession Geneva,June10to14,2002

IPDLSTANDARDSDEVEL OPMENT

Documentprepare dbytheSecretariat

- $1. \quad The Standards and Documentation Working Group (SDWG) of the Standing Committee on Information Technology (SCIT) has, as one of its ongoing tasks, the development of standards to enable all Member States to participate in a globally cohesive IPDL system (see document SCIT/SDWG/1/9, Annex III, Task No. 10). The SDWG also instructed the WIPO Secretariat to convene a SCIT Task Force to ensure the involvement of Member States in the expedition of these tasks. In order to enable the Task Force to be gin its work, the Secretariat convened two informal standards workshops that included representatives of Member States together within dustry experts. \\$
- 2. The focus and aims of the first workshop, as well as the report cont aining the findings and recommendations of the second workshop designed to increase the effective participation of Member States in the global Intellectual Property Digital Libraries (IPDLs) environment, is annexed to this document.
 - 3. The SCIT Plenary is invited to note the contents of this document and its Annex.

[Annexfollows]

ANNEX

REPORTOFTHESECONDINFORMALWORKSHOPON INTELLECTUALPROPERTYDIGITALLIBRARIES(IPDL)STANDARDIZATION (Geneva,February25toMarch1,2002)

BACKGROUND

- $1. \quad In July 2000 the SCITPlenary approved the establishment of a SCITT ask Forceto \\ support the IPDL Project (seedocument SCIT/5/10, paragraph 59) . In order to enable the Task Forceto begin its work, the Secretariat convened two informal standards workshops that included representatives of Member States together within dustry experts.$
- 2. Thefirstworkshop(Geneva,July2001)conductedananalysisandrecommendedthat uponconcludingdevelopmentoftheWIPOIPDLsystem,theWIPOIPDLprogramshould focusontheextensionandcoordinationofstandards,proof -of-conceptvalidationprojects, andrelatedinfrastructuretocomplementthesestandardsandtosupportIPDLsofMember States.
- 3. Thesecondworkshop(Geneva,February2002),thesubjectofthisreport,moves forwardbyrecommendingaspecificsetofsimplepreli minarysteps,describedbelow,that immediatelyraisetheprofileoftheIPDLenvironment,stabilizeitscentralmissionofrobust long-termaccess,andstrategicallypositionittoadapttoevolvingtechnologyandWIPO standards.Inparticular,theserec ommendationsextendthoseofthefirstworkshopbycalling forestablishmentofaglobalserviceregistryanddevelopmentofsimple,inexpensive prototypeimplementationstoserveasproofs -of-conceptforthenotionsofpersistent identifiersandresource location.

INTRODUCTION

- 4. TheglobalIPDLenvisions, as an important use of WIPO NET, a coherent set of IPDLs that globally distribute an appropriate balance of responsibility, authority, and independence among autonomous but interoperating national IPDLs. One application of the global IPDL is a user -friendly system that permits effective cross -searching of the different data collections provided invarious IPDLs.
- 5. TheuseofagreedstandardsintheIPDLenvironmentiscriticalas moreIPofficeswish tomaketheirdataavailableusingalternativesearchsystemsorinasearchenvironmentmore fullycustomizedtosuitlocalrequirementsandconditions. AsforeseenbytheSCIT,the burdenofprovidingandmaintainingtimely,compreh ensiveaccesstocentrallyloadeddatais toogreattobebornebyanyonenationalorregionalofficeortheInternationalBureau.
- 6. Afullystandards -basedapproachisthemostpragmaticwayinwhichuser -friendly interfacestocross -collectionIPsearchcanbemaintainedinthelongterm. Itpermitsdatato resideascloselyaspossibletoitsmostauthoritativeandup -to-datesource.Italsoallows

multipleinterfacestobebuiltandtailoredtolocalorregionalaudiences, which makes it easier for sitestobe independent of the specific features, service availability and funding situation of just one interface provider.

7. Thisdocumentarticulatesthecoreissuestoberesolvedinestablishingacoherentsetof IPDLstocom prisetheglobalIPDL,aswellastheconsensusrecommendationsofthe workshopparticipants. Ofcentralconcernisreliableaccessanddiscoveryusingstandards and common agreements, all builtone achoffice ís basic commitment to keeping it sidentifiers persistent.

SUMMARYOFTHEDISCU SSIONSOFTHEWORKS#P

PolicyforPersistent,ReliableIdentifiers

8. Everylibrary, digital or otherwise, needs away to uniquely and permanently identify every object in its holdings. As a condition of inclusion in the global IPDL, we recommend that each local IPDL be required to state, as an organizational value, a commitment to pair each IP object accessible through the digital library with an identifier that will be permanently and uniquely associated with the object, such that the combination of local identifier and IPDL number will be globally unique. This is a service is sue, notate chnology is sue. A short, written statement declaring organization alpolicy formaintaining the sepersistent identifiers is required of each IPDL.

Implementation of Resolution Service for Identifiers

9. Inordertoprovideabasic,reliableaddressingschemefortheglobalIPDL environment,thepersistentidentifierwillalwaysredirecttotheobjectwheneverit ismoved, andwillneverbereassignedtoadifferentobject. This redirection capability amounts to little more than maintaining ordinary URL redirection tables. Individual IPDLs should implement access objects and related services using ARKs. For the global IPDL, these identifiers will have the form

http://localhostname/ark:/ipdlnumber/localname

Forexample,

http://uspto.gov/ark:/12045/us8479931

Recognizing that most IP documents already have well -defined identifiers based on WIPO standards, some guidelines for their construction are given in Appendix I.

WIPOIPDLServiceRegistry

 $10. \quad In order to establish the Service Registry as specified in the report of the First Workshop on IPDLS tandardization, we recommend that WIPO create and main a database by collecting machine -readable IPDL summaries from the individual IPDLs. We further recommend that one application of this database should be to automatically create a web-accessible document at a well -known web-based address. This database would be come the definitive list of IPDLs and ipd lnumbers.$

- 11. WebelievethattheglobalIPDLwillultimatelyneedadynamic,machine -accessible mechanismfordiscoveringservicesavailableatindividualnodes.Suchamechanismmight becon structedfollowingtheW3CWebServicesDescriptionLanguage(WSDL) (W3C WSDL).NotethatWSDLitselfisnotstandardizedbytheW3Catthistime,butitat leastprovidesanXML -basedformatfordescribingnetworkandIPDLservices.
- 12. Thisre gistryshouldcontainonerecordforeachIPDLnode.Eachrecordwillinclude anARKthatidentifiestheIPDLitself,theIPDLnumber,andthekinds -of-documentsit serves.Overtime,informationconcerningcollections,contentandserviceavailabilitya re likelytobeadded.SeeAppendixIIforadditionaldetails.IndividualIPDLsareresponsible fortheaccuracyoftheinformation,astheypossessthemasterdatarecordthatWIPO periodicallyharvests. Themachine -readableformatforregistryrecords isspecifiedin AppendixII.

Partitioning of IPD omains

13. Inordertosimplifythetaskofworkingwiththediversityofintellectualproperty,we adopttheprincipleofpartitioningdataintoseparateintellectualpropertydomains.By consideringonedomainatatime(e.g.,patents,trademarks,industrialdesigns,etc),weintend tofocusonseparateareasforwhichWIPOalreadyhaswell -knownsemanticsuntilsuchtime astheresultsfromseveraldomainscanbecombined.

NetworkAccessPr otocols

14. SignificantprogresshasbeenmadeindefiningthevisionandbasisfortheGlobal IntellectualPropertyDigitalLibrary,followingtheworkoftheFirstWorkshoponIPDL Standardization. Thisprogress, when coupled with continued prototyping efforts, will demonstrate that implementing a digital library based on internationally recognized standards is an efficient and effective strategy formeeting the integrated information dissemination requirements of the IPDL environment. We recommend: (a) that the Simple Object Access Protocol (SOAP) be explored as the mechanism for the exchange of information between application satthe IPDL nodes (W3CSOAP); (b) that the content exchanged between nodes as XML messages been coded using Unicode.

Search and Retrieval Concepts

- 15. Thefollowinglogicalconceptswillneedtobeconsideredinconstructingan XML-basedsyntaxforsearch andretrieval:
 - ServiceStatus
 - UserIdentificationandAuthentication
 - Search
 - Retrieval
 - AdditionalServices
 - Confidentiality, including confidentiality of users earch parameters

TheseconceptsarelargelycapturedintheXMLEncodingRules(XER) forrepresenting searchandretrievaldatastructures.XERiscurrentlyanISOstandard (ISO XER).

RECOMMENDATIONS

- 16. The participants in the Second Workshop on IPDLS tandardization made the following five recommendations.
- (i) Commitment Persistent Identification and Access for Core Collection Objects. The distinguished factor between a digital library and a website is a service commitment to manage identifiers with enough care that a core collection object, once found and saved, can then reliably be retrieved using that same identifier in definitely into the future. Such identifiers are also the basis for reliable, automated IPD Linter operation. As a condition of inclusion in the global IPD L, each local IPD L shall adopt, as an organiza tional value, a commitment to make each such object retrievable by users with a unique, permanently assigned identifier. Each IPD L shall maintain and publishan explicits tatement of that commitment on its IPD L.
- (ii) MechanicsandFormofPersistentIde ntifiers. EachIPDLshallestablish procedurestoensurethateachpersistentidentifierisneverreassignedtoadifferentobjectand isalwayscorrectlyresolvednomatterhowoftentheobjectismoved. Thetechnological burdenofthisrequirementisl ow,butexampletechniquesarediscussedbelow. EachIPDL shallmakeitscoreobjectsavailableviaURLsthatconformtotheArchivalResourceKey (ARK) persistentidentifierscheme. TheInternationalBureaushouldcreateandmaintaina small, proof -of-conceptcentralizedidentifierresolutionservicethattakesanincoming identifierrequestandforwardsittotheappropriateIPDL.
- (iii) RegistryofIPDLsintheGlobalIPDLSystem. Inordertocreateaformal, ongoingregistryofIPDLsandservices,eahIPDL,duringitslifetime,willmakeavailablea permanent IPDLsummary atafixedweb -basedaddress.Thissummarywillalwaysreturnan up-to-date,machine -readabledescriptionoftheIPDLanditsservices.Itwillincludeatleast theIPDLname,its assigned ipdlnumber,andthekindsofdocumentsitserves.Overtime, otherelementswillbeincorporatedtosupportadditionalinter -IPDLfunctionality.TheIPDL registryitselfisformedandupdatedbyperiodicallyharvestingalltheIPDLsummariesan d collectingtheminoneplace(e.g.,asadynamicdocumentoradatabase).Thisestablishesthe mostbasicpieceofinfrastructurecalledforinthefirstworkshopreport.
- (iv) PrototypeSearchandRetrieval. Inordertosuccessfullyadaptexistingst andards forbasicsearchandretrievalinthecontextoftheglobalIPDL,theInternationalBureauand officesofMemberStates,possiblythroughaSCITTaskForce,musteventuallysupportthe developmentofacoresetofcommonIPDLdataelementsandstan dardstosupportfullIPDL interoperability. Prototypingcross -collectionsearchisessentialtothisdevelopment.There isnorelevantstandardthatfullymeetstherequirementsforIPDLsearchandretrievalatthis time,butthebasicconceptsaresta tedinthenextsection.
- (v) *StandardsValidation*. Fullyanalyzingastandardsuchasthatenvisionedfor IPDLinteroperationisacomplexundertaking. Toprovideameasureofconfidencewithout undueeffort, were commendadopting the validation thres holdused by the Internet Engineering Task Force (IETF), namely, the successful interoperation of three systems developed independently from the written standard.

17.	Information on definitions, naming considerations, IPDL descriptions and bibli	ography
arecontainedinAppendicesItoIV.		

[Appendicesfollow]

APPENDIXI

DEFINITIONS

 $\label{lem:archivalResourceKey} ArchivalResourceKey(ARK) \quad - as cheme for creating identifiers that support persistence: access to the object, to metadata, and to policy statements from an identified provider. ARK shave the additional property of being valid URLs.$

 $\label{limited} Digital Library (DL) \ - an electronic, network \ - based repository of objects, combined with defined mechanisms for locating, navigating and retrieving individual objects. Digital libraries agree to adopt a certain level of administrative commitment to offer and maintain data and services through the library. SCIT/1/5 defines a Digital Library as ``an organized collection of electronic information disseminated to a designated community through network technologies providing easy access to data. \hat{1}$

DistributedSystem -anelectronic,network -basedcollectionofsitesdistributedviathe Internet,allofwhichareabletointeroperateusingcommonlyagreed -uponprotocolsand messageformats.

 $\label{lem:extensible} \textit{ExtensibleMarkupLanguage}(\textit{XML}) \quad \text{-amarkuplanguage} \\ \text{for representing structured data}.$

HypertextTransferProtocol(HTTP) -thecommunicationprotocolimplementedby WorldWideWebserversandclients(orbrowsers).

 ${\it Internet Engineering Task Force (IETF)} \quad \hbox{-the body responsible for Internet standards}.$

 ${\it IPDomain} \ \ - a specific type of intellectual property, including patents, trademarks, copyrights, industrial designs, traditional knowledge and others.$

GlobalIPDL the coherent collection of individual IPDLs which interoperate through common protocols, messages and content.

Identifier - Anassociation between an ameand an object which may be used to unambiguously refer to an IP object within the scope of the global IPDL, madem an if est by metadata that characterize the object.

IPObject -thelogicalabstractnotionofanintellectualpropertydocument,e.g.,a patent,trademarkdocument,industrialdesign,etc., theobjectisconsideredtobedistinctfrom aparticularrepresent ationofthedocumentortheindividualcomponentsofthedocument.

 ${\it Metadata} \ - {\it Data} which describe an IP object, and which might be used as a basis for locating or characterizing the IP object. Metadata might be included in the document itself, but not all metadata associated with an IP object will necessarily be contained in the document.$

 ${\it Protocol}\ \hbox{-any communication specification for the exchange of information between computers or computer applications.}$

 ${\it Simple Object Access Protocol}(SOAP) \quad \text{-aprotoc ols pecification for invoking methods} \\ {\it onservers, services, components and objects.}$

SCIT/7/6 AppendixI,page 2

 $\label{lem:control} Universal Resource Locator (URL) \quad \text{-the addressing scheme for the World Wide Web.} \\ Web Services Description Language (WSDL) \quad \text{-an XML} \quad \text{-based specification schema for describing the operational information of a Webservice.} \\$

XMLEncodingRules(XER) ñtheISOstandardXML -basedspecificationfor representingtheinformationinASN.1encodeddatastructures.TheZ39.50protocolis describedinASN.1,soXERgivesanXMLrepres entationfortheZ39.50dataunits. *Z39.50* ñtheNISOstandardcommunicationsprotocolforsearchandretrieval.

[AppendixIIfollows]

APPENDIXII

NAMINGCONSIDERATION S

This Appendix discusses some of the issues that IPDLs may need to address in constructing ARK identifier names for IPO bjects.

AlthoughtherearebenefitsintermsofpermanencethatanARKidentifiergainsfrom beingsemanticallyopaque, withinthespecialized realmof IP it may be worthwhile to trade it for limited semantic transparency. In particular, ARKidentifiers that disclose, in their composition, certainkey information elements to individual IPDL support of fices can bring many advantages to systems supports taff who may already be burdened by the commitment to persistence. The semantic transparency described next is not suitable for all providers, since it can be a help in some instances and aburden in others. Alternatively, there may be value in adopting identifiers from already - existing standards (e.g., Uniform Resource Names [URN], Digital Object Identifiers [DOI]) and applying ARK functionality to them.

Thefollowingidentifiercomponents are based on WIPOS tandards and common established practice in IPoffices, most of which have individual collections limited to a single IP domain (such as patents). Within the secollections, documents are generally identified and organized by means of the fields associated with INIDCodes as described in WIPOS tandards ST.9, ST.60, and ST.80. WIPOS tandard ST.1 [ST.1] specifies the four ST. 9INIDCodes [ST.9], which are both necessary and sufficient to uniquely identify a patent publication (ST.1 does not explicitly assign an order to these four fields). Thus, to create a transparent ARK containing these fields, the suggested form for a patent and the suggested for a patent a

http://ark.wipo.int/ark:/12345/pt/oc/kc/nnnnnnnnn/ccyymmdd

where:

- 12345istheIPDLNumber(NAAN ¹,inARKterms),
- patentistheliteralstringiptî,
- ocistheST.3codeoftheissuingofficeororganization,
- kci stheST.16kind -of-documentcode,
- *nnnnnnnnni*sthe1to10numeric -digitST.6publicationnumber(ST.6is currentlyunderrevisionandthenumberofdigitsmaybeexpandedinthefuture), and
- *ccyymmdd* istheST.2dateofpublication.

Fortrademarks and industrial designs, and using fields described in ST.60 [ST.60] and ST.80 [ST.80], there commended transparent ARK is of the form:

http://ark.wipo.int/ark:/12345/domaih oc/nnnnnnnnn/ccyymmdd

_

¹NameAssigningAuthorityNumber

SCIT/7/6 AppendixII,page 2

where:

- 12345istheNameAssigningAuthorityNumber(N AAN)oftheIPDL,
- domaiistheliteralstringitmîoriidî,
- ocistheST.3codeoftheissuingofficeororganization,
- nnnnnnnnistheregistration,application,ordesigndocumentnumber,and
- *ccyymmdd*istheST.2dateofpublication.

[AppendixIIIfollows]

SCIT/7/6

APPENDIXIII

IPDLSUMMARYDESCRIP TIONS

ThisAppendixproposesamachine -readableIPDLsummaryrecord.Itwillincludeat leasttheIPDLísname,itsipdlnumber ,andthebroaddomainsofcoverage.Itisretrieved withaURLofthisformat:

http://localhostname/ark:/ipdlnumber/?

Thereturnedidocumentîisaplaintextmachine -readablerecordthatcontainsalistof elements.

name:jpo ipdlnumber:13045 domain:pt|tm|id

Theelementsaredefinedasfollows. The *name* is a unique abbrevia tion in the IPDL community (similar to an airport abbreviation). The *ipdlnumber* is a globally unique ARK Name Assigning Authority Number. The *domain* element contains a list of domains covered by the IPO ffice, in any order; currently, it may assume any of the values

pt=patents tm=trademarks id=industrialdesigns tk=traditionalknowledge np=non -patentliterature ot=other

Extensionsareanticipatedthatwillallowmoredetaileddescriptionsofeachdomain, suchasnumbersofitems,date scovered,searchcapabilities,andsystemstatus.Forexample, detailedinformationonthepatentdomainwouldbeavailableataURLoftheform

http://localhostname/ark:/ipdlnumber/pt?

[AppendixIVfollows]

APPENDIXIV

BIBLIOGRAPHY

ARK -TheArchivalReso urceKeyPersistentIdentifierScheme (http://www.ietf.org/internet-drafts/draft-kunze-ark-03.txt)

 $DOI-Digital Object Identifier System (http://www.doi.org); the DOI Handbook (http://www.doi.org/handbook_2000/index.html)\\$

IPDLSD -ReportoftheWorksh oponIntellectualPropertyDigitalLibraries(IPDL) Standardization(Geneva,July2to6,2001),DraftVersion1.309 (http://www.wipo.int/scit/en/ipdl/workshop/1/ipdlws01_06.htm)

ISOXER ñX.693Informationtechnology -ASN.1encodingrules:XMLencoding rules (http://www.itu.int/ITU-T/studygroups/com17/languages/X.693_0901.pdf)

SCIT/4/2 -StandingCommitteeonInformationTechnologies,InformationTechnology StrategicImplementationPlan(http://www.wipo.int/scit/en/meeting/4/2_2.pdf)

SCIT/5/10 -Sta ndingCommitteeonInformationTechnologiesPlenaryReport,FifthSession (http://www.wipo.int/scit/en/meeting/5/10.pdf)

SCIT/SDWG/1/9 -StandingCommitteeonInformationTechnologies,Standardsand DocumentationWorkingGroupReport,FirstSession (http://www.wipo.int/scit/en/meeting/sdwg/1/pdf/sdwg1_9.pdf)

ST.1 -RecommendationConcerningtheMinimumDataElementsRequiredtoUniquely IdentifyaPatentDocument(http://www.wipo.int/scit/en/standards/pdf/st_1.pdf)

ST.9 -BibliographicDataonandRelati ngtoPatentsandSPCs (http://www.wipo.int/scit/en/standards/pdf/st_9.pdf)

ST.60 -BibliographicDataRelatingtoMarks (http://www.wipo.int/scit/en/standards/pdf/st_60.pdf)

ST.80 -BibliographicDataRelatingtoIndustrialDesigns (http://www.wipo.int/scit/en/standards/pdf/st_80.pdf)

URN -UniformResourceNameSyntax,RFC2141,May1997

W3CSOAP -XMLProtocolAbstractModel(http://www.w3.org/TR/xmlp -am/);SOAP Version1.2Part0:Primer(http://www.w3.org/TR/soap12 -part0/);SOAPVersion1.2Part 1: MessagingFramework(http://www.w3c.org/TR/soap12 -part1/);SOAPVersion1.2Part2: Adjuncts(http://www.w3c.org/TR/soap12 -part2/)W3CXML -ExtensibleMarkupLanguage (http://www.w3c.org/XML/)

SCIT/7/6 AppendixIV,page 2

 $W3CWSDL \ -WebServicesDescriptionLanguage(WSDL) 1.1 \\ (http://www.w3c.org/TR/wsdl)$

XER XMLEncodingRules(http://asf.gils.net/xer/)

ZURL -UniversalResourceLocatorsforZ39.50(http://www.gils.net/z -url.txt)

[EndofAppendixIVandofdocument]