



中华人民共和国国家知识产权局
State Intellectual Property Office
of the People's Republic of China

China Traditional Chinese Medicine Patent Database Search System

SONG Jiangxiu

The Pharmaceutical and Biotechnological Invention Examination
Department of SIPO

Dec. 16 and 17, 2009 Bangkok, Thailand

www.sipo.gov.cn

Overview

- **Background information**
- **Patent data deep indexing in SIPO**
- **Database**
- **Interface of the search system**
 - Quick search
 - Advanced search
 - Formula search
 - Traditional Chinese medicine (TCM) dictionary
- **English version of TCM database**

Background information

- **supported by** State Intellectual Property Office (SIPO) of China, and **established** in 2001 by Intellectual Property Publishing House of SIPO
- In 2002, the **English version** was established
- covers the patents related to TCM **from April 1985 to present**, and provides 29 search entries with the bibliographic data, subjects and applications/therapeutic effects
- **deeply indexed**
- Now, the database is updated **monthly**

Overview

- **Background information**
- **Patent data deep indexing**
- **Database**
- **Interface of the search system**

Quick search

Advanced search

Formula search

Traditional Chinese medicine (TCM) dictionary

- **English version of TCM database**

Patent data deep indexing

- Started in 2000
- Undertaker: Intellectual Property Publishing House
- Subject Field of Deep Indexing: TCM
- Scope: Chinese Patent Applications

Patent data deep indexing

Deep Indexing fields:

1. Title (TI)
2. Abstract (AB)
3. Application Date (AD)
4. Application Number (AP)
5. Publication Date (PD)
6. Publication Number (PN)
7. Applicant (PA)
8. Applicant Address (ADDR)
9. Applicant Country/Province Code (PAC)
10. Inventor Name (INR)
11. Priority (PRN)
12. International Patent Classification (IC)
(searching for IC1 and IC2 together)
13. Main International Patent Classification (IC1)
14. Secondary International Patent Classification (IC2)

Patent data deep indexing

Deep Indexing fields:

15. Biological Process (BIO)
16. Chemical Process (CHE)
17. Analytical Process (ANA)
18. Extraction Process (EXT)
19. Physical Process (PHY)
20. Formulation Process (GAL)
21. Composition (MIX)
22. New Therapeutic Use (NUS)
23. Subject Index Terms (IT)
(used to search ANA, EXT, BIO, CHE, PHY, GAL, MIX, NUS together)
24. Therapeutic Effect (THEF)
25. Side Effect (TOXI)
26. Diagnostic Effect (DIAG)
27. Similar Effect (ANEF)
28. Interactive Effect (DINT)
29. Use/Effect (EFF)
(used to search THEF, TOXI, DIAG, DINT, ANEF together)

Overview

- **Background information**
- **Patent data deep indexing in SIPO**
- **Database**
- **Interface of the search system**

Quick search


Advanced search

Formula search

Traditional Chinese medicine (TCM) dictionary


English version of TCM database

Database



Database

TCM Formula Search :



Overview

- **Background information**
- **Patent data deep indexing in SIPO**
- **Database**
- **Interface of the search system**

Quick search

Advanced search


Formula search

Traditional Chinese medicine (TCM) dictionary

English version of TCM database

Interface

- Quick search
- Advanced search
- formula search
- TCM dictionary
- Chemical medicine dictionary



中国药物专利数据库检索系统

English Version

当前位置: [高级检索页面](#)

请选择

全部数据库 时间限制: 专利申请日 从 -- 年 -- 月 -- 日到 -- 年 -- 月 -- 日

检索表达式

AND OR NOT () ? (W) (nW) (N) (nN) <<其它运算符

说明: 高级检索功能的输入格式为: 检索词/字段, 默认字段为基本索引字段/bi。在下面的“字段代码”表中, 点击“/字段”可将字段限制自动加入到检索表达式中光标所在位置, 点击字段名称则进入相关字段的帮助说明。在“常用药材”表中, 点击药材名也会将相应药材名加入检索表达式中。 检索举例: A61P017/00/ic and (大黄 or 升麻) and 杨恒裕/inr

字段代码 [常用药材](#)

| 检索字段代码表 | | | |
|-----------|--------------|------------|-------------|
| 基本索引字段 | 分类号索引字段 | 辅助索引字段 | |
| 发明名称 /TI | IPC分类号 /IC | 申请号 /AP | 公开号 /PN |
| 文摘 /AB | IPC主分类号 /IC1 | 申请人 /PA | 优先权项 /PRN |
| 药物主题 /IT | IPC副分类号 /IC2 | 发明人 /INR | 省市国别代码 /PAC |
| 治疗应用 /EFF | 药物范畴分类 /PHC | 通讯地址 /ADDR | |

- ▶ 简单检索
- ▶ 高级检索
- ▶ 方剂检索
- ▶ 中药辞典
- ▶ 西药辞典
- ▶ 检索历史
- ▶ 保存结果
- ▶ 帮助手册
- ▶ 退出系统

Contains TCM databases

Search history;
Save result;
Help;
logoff

Interface

Interface of the search system:

Quick search

Advanced search

Formula search

Traditional Chinese medicine (TCM) dictionary

Quick search

1. Select the time scope

时间限制: 专利申请日 从 1998 年 2 月 - 日 到 2000 年 6 月 - 日

2. Select the database and the search field

| 数据库 | 检索字段 |
|-------|------|
| 全部数据库 | 全部字段 |

3. Enter the search terms

请输入查询内容 (关键词用空格分隔, 关键词中的空格请用#代替)

4. Select the operator (AND or OR)

| 关键词之间的关系 | AND | OR |
|---|-----|----|
| <input checked="" type="radio"/> 包含所有的关键词(“与”的关系) | | |
| <input type="radio"/> 至少包含其中一个关键词(“或”的关系) | | |

Interface

Interface of the search system:

Quick search

Advanced search

Formula search

Traditional Chinese medicine (TCM) dictionary

Advanced search

1. Select the database and time scope

请选择

全部数据库 时间限制: 专利公开日 从 2007 年 7 月 5 日到 2008 年 2 月 1 日

2. Enter the search query using logic operators

检索表达式

人参? /GAL and 单味药/MIX

检索 撤消

AND OR NOT () ? (W) (nW) (N) (nN) <<其它运算符

Search

Reset

Advanced search

Operators:

- parenthesis “()” used to identify the search priority;
- “?” stands for one character;
- Use (W) to require that the answer contains search terms adjacent to each other, in the order typed;
- (N) means that the search terms are adjacent to each other in either order;
- (nW) means that the search terms have n characters intervening between them, in the order typed;
- (nN) means that the search terms have n characters intervening between them and terms are in either order.

Advanced search

Search result

Search query

序号: #13 查询表达式: S aspirin/allitem and pd between '2000/1/1' and '2005/12/31'
共15个结果 每页显示 个结果 第一页 上一页 下一页 最后一页 第 页 1/1

| 序号 | Application number 专利申请号 | Title 专利名称 |
|----------------------------|-----------------------------|---|
| <input type="checkbox"/> 1 | 200410021010 | 抗血栓的小剂量阿司匹林注射剂及其制备方法 |
| <input type="checkbox"/> 2 | 200310122041 | 一种药物组合物在制备抗阿司匹林抵抗药物中的应用 / 一种中药组合物用于治疗阿司匹林抵抗性疾病的新用途 |
| <input type="checkbox"/> 3 | 200310122042 | 一种药物组合物在制备抗阿司匹林抵抗药物中的应用 / 一种中药组合物用于治疗阿司匹林抵抗性疾病的新用途 |
| <input type="checkbox"/> 4 | 200310122039 | 一种药物组合物在制备抗阿司匹林抵抗药物中的应用 / 一种中药组合物用于治疗阿司匹林抵抗性疾病的新用途 |
| <input type="checkbox"/> 5 | 200310122043 | 一种药物组合物在制备治疗阿司匹林抵抗药物中的应用 / 一种中药组合物用于治疗阿司匹林抵抗性疾病的新用途 |

| | | | | |
|--|----------------------|---|---|------------------|
| Application number | 申请号 (AP) | 200710053404 | 浏览全文 | Full-text |
| title | 发明名称 (TI) | 一种抗血小板聚集的药物组合物及其制备方法 / 一种新的药物组合物, 用于抗血小板聚集, 预防和治疗稳定性的或不稳定性的心绞痛、心血管和脑血管系统疾病等 | | |
| abstract | 文摘 (AB) | 一种新的药物组合物, 含有右旋糖苷 (葡聚糖) - 阿司匹林 (乙酰水杨酸, ASPIRIN , ASA) 和氯吡格雷硫酸盐。所述氯吡格雷硫酸盐为氯吡格雷 (CLOPIDOGREL) 硫酸氢盐。该组合物具有良好的相容性、药物稳定性和用药安全性, 可用于抗血小板聚集, 预防和治疗由血小板聚集所诱发的疾病, 如稳定性的或不稳定性的心绞痛、心血管和脑血管系统疾病, 如与动脉粥样硬化和糖尿病有关的血管阻塞疾病, 糖尿病性心脏病, 血管成形术、冠状动脉搭桥术、动脉内膜切除或安放血管内金属支架后的再狭窄, 或者与血栓溶解后再堵塞、心肌梗死、外周动脉疾病、血液透析有关的血管阻塞疾病。 | | |
| | 文摘附图 (IMG) | 无 | Figure accompanying the abstract | |
| Publication number | 公开号 (PN) | CN101138565 | | |
| Application date | 申请日期 (AD) | 2007-9-28 | | |
| Publication date | 公告日期 (PD) | 2008-3-12 | | |
| Applicant | 申请人 (PA) | 武汉远大制药集团有限公司 | | |
| Inventor | 发明人 (IBR) | 黄 璐; 周建明 | | |
| Address | 通讯地址 (ADDR) | 430035湖北省武汉市桥口区古田一路 | | |
| Main patent classification | IPC主分类号 (IC1) | A61K031/616 | | |
| Secondary patent classification | IPC副分类号 (IC2) | A61K031/4365; A61K047/36; A61K047/48; A61P007/02; A61P009/00; A61P009/10; A61P009/08 | | |
| Pharmaceutical category | 药物范畴分类 (PHC) | 02 血液学; 04 心脏病学, 脉管学 (血管、淋巴管学); 35; | | |
| Composition | 方剂组成 (MIX) | 偶联物; 右旋糖苷; 葡聚糖; 阿司匹林; 乙酰水杨酸; ASPIRIN ; ASA; 氯吡格雷; CLOPIDOGREL; 硫酸氢盐 | | |
| Therapeutic effect | 治疗作用 (THEF) | 心血管疾病; 血管成形术后再狭窄; 脑血管疾病; 血管堵塞; 不稳定型心绞痛; 血小板凝集抑制剂; 糖尿病心脏病; 心绞痛; 冠状动脉搭桥术后再狭窄; 动脉内膜切除后再狭窄; 安放血管内金属支架后再狭窄; 稳定型心绞痛; 术后再狭窄 | | |
| Formula information | 该条专利没有对应的方剂信息 | | | |
| Chemical compound information | 化学物质信息 | | | |
| | 化学物质信息1 | | | |
| name | 化合物名称 (NOM) | 氯吡格雷硫酸氢盐; | | |
| Compound registry number | CN登记号 (CN) | 000-764-35 | | |
| CAS registry number | CAS登记号 (RN) | 120202-66-6 | | |
| Roles | 职能符 (ROLES) | (K) 已知化合物; (T) 活性成分或治疗剂或前药; (M) 联合药物 | | |
| | 化学物质信息2 | | | |
| | 化合物名称 (NOM) | 右旋糖苷-阿司匹林; | | |
| | CN登记号 (CN) | 001-062-40 | | |
| | CAS登记号 (RN) | | | |
| | 职能符 (ROLES) | (K) 已知化合物; (T) 活性成分或治疗剂或前药; (M) 联合药物 | | |

Example Record

Search term

Interface

Interface of the search system:

Quick search

Advanced search

Formula search

Traditional Chinese medicine (TCM) dictionary

Formula search

□ formula logic search

中药方剂中药物的数量: 到 味 检索结果显示方式:

检索表达式

选择运算符

□ formula similarity search

中药方剂中药物的数量: 到 味 检索结果显示方式:

包含下列药物中:

1 2 3 4 5
6 7 8 9 10
11 12 13 14 15

至少 味

限制在 为 中

包含所有的关键词(与) 至少包含其中一个关键词(或)

Formula search

□ formula logic search

The screenshot shows a search interface for TCM formulas. It includes a search query input field, a filter for the number of medicines (8 to 40), a dropdown for display results (按专利号排列), and buttons for search (检索), reset (撤消), and search (Search). Callouts point to various elements: 'Medicine number of the formula' points to the '8 到 40' filter; 'Search query' points to the '检索表达式' input field; 'Display search results by' points to the '按专利号排列' dropdown; 'Search' points to the '检索' button; and 'Reset' points to the '撤消' button.

Medicine number of the formula: 8 到 40 味

检索结果显示方式: 按专利号排列

检索表达式

检索 撤消

选择运算符

AND OR NOT ()

1. Restrict the medicine numbers of a formula.
2. Display by TCM formula or by patent number.
3. Enter the search query using the following operators.

Formula search

□ formula similarity search

The screenshot shows a search interface for TCM formulas. It includes a header for 'formula similarity search', a grid of 15 medicine input boxes, a search criteria section with a dropdown for '至少 8 味', a search field with a dropdown for '治疗应用' and a text box containing '高血压', and a search button. Callouts identify these elements: 'Medicine number of the formula' points to the grid numbers; 'medicines related to the formula' points to the grid boxes; 'The formula contains at least "8" medicines' points to the '至少 8 味' dropdown; 'Search fields' points to the search dropdown and text box; 'Display search results by' points to the '按专利号排列' dropdown; 'Reset' points to the '清空输入内容' button; 'Search' points to the '检索 >>' button; 'AND' points to the '包含所有的关键词(与)' radio button; and 'OR' points to the '至少包含其中一个关键词(或)' radio button.

中药方剂中药物的数量: 到 味 检索结果显示方式: 按专利号排列

包含下列药物中:

| | | | | | | | | | |
|----|----|----|----|----|----|----|-----|----|----|
| 1 | 白芍 | 2 | 白术 | 3 | 百合 | 4 | 板蓝根 | 5 | 地龙 |
| 6 | 杜仲 | 7 | 蜂蜜 | 8 | 茯苓 | 9 | 黄柏 | 10 | 黄连 |
| 11 | 黄芩 | 12 | 黄芪 | 13 | 降香 | 14 | 金钱草 | 15 | 荆芥 |

至少 8 味

限制在 治疗应用 为 高血压 中 检索 >>

包含所有的关键词(与) 至少包含其中一个关键词(或)

清空输入内容

1. Restrict the medicine numbers of a formula;
2. Display by TCM formula or by patent number;
3. Type the related medicines respectively into the boxes labeled 1 to 15;
4. Select a number to specify how many medicines should be included in the search result;
5. Select search field and enter the search terms at the right text entry box;
6. Use AND or OR between the terms.

Formula search

Search result

Displayed by
application number

| | Application number | Title |
|----------------------------|--------------------|--|
| <input type="checkbox"/> 1 | 200810030388 | 阿胶归芪颗粒及其生产方法 / 一种用于改善营养性贫血的中药保健食品 |
| <input type="checkbox"/> 2 | 200810032151 | 延年益寿酒及其制作工艺 / 一种可用于治疗夜梦遗精、滑精、肾虚腰痛等疾病的中药酒及其制备方法 |
| <input type="checkbox"/> 3 | 200810032154 | 一种保健颗粒剂及其制备方法和应用 / 一种具有增强免疫力、缓解疲劳作用的中药保健颗粒及其制备方法 |
| <input type="checkbox"/> 4 | 200810032164 | 一种治疗椎间盘突出症的药物 |
| <input type="checkbox"/> 5 | 200810079266 | 治疗坐骨神经痛的药物 |

Displayed by formula

Application number
Title
Formula information
Medicine numbers

| |
|---|
| <p>专利申请号: 200810030388 专利名称: 阿胶归芪颗粒及其生产方法 / 一种用于改善营养性贫血的中药保健食品 方剂信息: 阿胶30-80; 当归20-50; 熟地黄10-40; 黄芪20-40; 白朮20-40; 维生素C 1-4; 乳酸亚铁0.5-2 药材味数: 7味</p> |
| <p>专利申请号: 200810030388 专利名称: 阿胶归芪颗粒及其生产方法 / 一种用于改善营养性贫血的中药保健食品 方剂信息: 阿胶70; 当归40; 熟地黄30; 黄芪30; 白朮30; 维生素C 3; 乳酸亚铁1.1 药材味数: 7味</p> |
| <p>专利申请号: 200810119076 专利名称: 一种治疗神经衰弱症的滴丸剂及其制备方法 方剂信息: 熟地黄31g; 麦冬69g; 炒白朮50g; 五味子50g; 川厚朴(厚朴) 31g; 吴茱萸31g; 柏子仁31g; 郁金31g; 木香31g; 山楂69g 药材味数: 10味</p> |

Formula search

Example Record

| | | | | |
|--|----------------------|--|--|--------------------------|
| | | | | Full-text 暂无全文 |
| Application number | 申请号 (AP) | 200810030388 | | |
| title | 发明名称 (TI) | 阿胶归芪颗粒及其生产方法 / 一种用于改善营养性贫血的中药保健食品 | | |
| abstract | 文摘 (AB) | 一种保健食品-阿胶归芪颗粒及其生产方法。将阿胶烊化, 当归、熟地黄、黄芪、白术水煮提取, 真空浓缩, 醇沉, 回收乙醇, 加入维生素C、乳酸亚铁混合, 制粒, 干燥, 整粒, 制得颗粒剂。该食品具有改善营养性贫血的保健功能。 | | |
| Publication number | 公开号 (PW) | CN101342267 | | |
| Application date | 申请日期 (AD) | 2008-8-20 | | |
| Publication date | 公告日期 (PD) | 2009-1-14 | | |
| Applicant | 申请人 (PA) | 李少平 | | |
| Inventor | 发明人 (INR) | 李少平 | | |
| Address | 通讯地址 (ADDR) | 515343广东省普宁市池尾街道普宁市环西保健食品有限公司 | | |
| Main patent classification | IPC主分类号 (IC1) | A61K036/804 | | |
| Secondary patent classification | IPC副分类号 (IC2) | A61K009/16; A61P007/06; A61K031/375; A61K033/26; A61K035/36; A61K036/232; A61K125/00; A61K036/481; A61K036/284; A61P039/00 | | |
| Pharmaceutical classification | 药物范畴分类 (PHC) | 02 血液学; 09 内分泌、新陈代谢、营养学, 毒物学; 18 维生素; 31; 35; | | |
| | 方剂组成 (MIX) | 阿胶; 当归; 熟地黄; 黄芪; 白术; 维生素C; 乳酸亚铁 | | |
| Therapeutic effect | 治疗作用 (THEF) | 营养性贫血; 保健 | | |
| Formula information | 方剂信息 | | | |
| | 方剂1 (7味) | 阿胶30-80; 当归20-50; 熟地黄10-40; 黄芪20-40; 白术20-40; 维生素C 1-4; 乳酸亚铁 0.5-2 | | |
| | 方剂2 (7味) | 阿胶70; 当归40; 熟地黄30; 黄芪30; 白术30; 维生素C 3; 乳酸亚铁1.1 | | |
| | | 该条专利没有对应的化学物质信息 | | |

Interface

Interface of the search system:

Quick search

Advanced search

Chemical structure search

Formula search

Traditional Chinese medicine (TCM) dictionary

TCM dictionary

1. Enter a medicine name

所有名称 查询 

Search fields: All names; Chinese standard names; Chinese synonyms; English drug names; Latin drug names; Latin plant/mineral names; Chinese PINYIN

2. Search result

Standard name
synonyms

中药正名：白芍
中文异名：白芍药。金芍药（《安期生服炼法》），白芍（《药品化义》）《中国药典》。芍药（《诗经》），又名：离草（《韩诗》内传），余容、其积、解仓（《吴普本草》），可离（崔豹《古今注》），犁食、铤（《别录》），没骨花（《胡本草》），婪尾春（《清异录》），将离（《纲目》）。处方名：白芍药、生白芍、炒白芍、白芍炭、酒白芍、大白芍、杭白芍。始载于神农本草经，列为中品。；（白勺，杭芍，生白芍）

Chinese PINYIN
English name
Latin name

中文拼音：BAISHAO
英文名：White Paeony Root
拉丁名：Radix Paeoniae Alba

Latin plant/mineral name

拉丁矿植物名：Paeonia lactiflora Pall.

Search in other database

共1个结果

第一页 上一页 下一页 最后一页

1 / 1

选中所有结果

异名查询

进入

中药方剂数据库

转库查询

Crossover to

TCM dictionary

3. Crossover to other database

Crossover to TCM formula database

共13037个结果 每页显示 个结果 第一页 上一页 下一页 最后一页 第 页 1/65

Application number
title
Formula information

专利申请号: **99127593**

专利名称: **新型止血剂/一种止血的药物组合物及制备方法**

方剂信息: 白术3.866%; 槟榔1.546%; 沉香1.160%; 党参1.933%; 台午3.866%; **白芍**7.730%; 甘草7.730%; 炙甘草7.730%; 厚朴3.866%; 山楂7.730%; 陈皮15.46%; 香附子(香附)4.250%; 苏叶(紫苏叶)3.866%; 诃子(诃子)1.933%; 万应茶2.580%; 蛇舌草7.730%; 活血藤7.730%; 苍术1.546%; 腹毛(大腹皮)7.730%

Search term

专利申请号: **99127250**

专利名称: **治疗类风湿性关节炎的药物及制备方法**

方剂信息: 熟地黄2-3; 生地黄2-3; 当归1.5-2.5; 党参2-3; 川芎1.5-2.5; **白芍**3-9; 白术2-3; 鹿角胶1.5-2.5; 龟版胶1.5-2.5; 枸杞子1.5-2.5; 牛膝1.8-3; 桂枝1.5-2.5; 狗脊3-5; 乌梢蛇2-3; 青风藤3-6; 雷公藤1-1.8; 细辛全草1.5-3; 秦艽1.5-3; 穿山甲0.6-1

专利申请号: **99127250**

专利名称: **治疗类风湿性关节炎的药物及制备方法**

方剂信息: 熟地黄25; 生地黄25; 当归20; 党参30; **白芍**60; 白术25; 鹿角胶15; 龟版胶15; 枸杞子20; 牛膝30; 桂枝20; 狗脊30; 乌梢蛇30; 青风藤50; 雷公藤10; 细辛全草10; 秦艽20; 穿山甲8

TCM dictionary

3. Crossover to other database

Crossover to TCM patent bibliographic database

共4329个结果 每页显示 个结果 第一页 上一页 下一页 最后一页 第 页 1 / 217

| 序号 | Application number 申请号 | title 专利名称 |
|----------------------------|---------------------------|--|
| <input type="checkbox"/> 1 | 200810032151 | 延年益寿酒及其制作工艺 / 一种可用于治疗夜梦遗精、滑精、肾虚腰痛等疾病的中药酒及其制备方法 |
| <input type="checkbox"/> 2 | 200810032154 | 一种保健颗粒剂及其制备方法和应用 / 一种具有增强免疫力、缓解疲劳作用的中药保健颗粒及其制备方法 |
| <input type="checkbox"/> 3 | 200810032164 | 一种治疗椎间盘突出症的药物 |
| <input type="checkbox"/> 4 | 200810079266 | 治疗坐骨神经痛的药物 |
| <input type="checkbox"/> 5 | 200810119234 | 一种用于妇女更年期综合症的中药组合物及其制备方法 |
| <input type="checkbox"/> 6 | 200810134444 | 治疗不孕症的中药制剂及其制备方法 |
| <input type="checkbox"/> 7 | 200810141147 | 一种用于治疗猪蓝耳病的中药 |
| <input type="checkbox"/> 8 | 200810146981 | 一种治疗乙肝的中药制剂及其制备方法 |

Overview

- **Background information**
- **Patent data deep indexing**
- **Database**
- **Interface of the search system**
 - Quick search
 - Advanced search
 - Formula search
 - Traditional Chinese medicine (TCM) dictionary
- **English version of TCM database**

English version of TCM database

Quick Search

Time scope

Publication Date **From** Year Month Day
To Year Month Day

Query (Use comma to separate words/phrases. e.g. Hypertension,Radix Ginseng,Poria)

Search For **In** All Fields

Results Must Contain: All of these words/phrases(AND)

Any of these words/phrases(OR)

Search

Frequently Used TCM Name List

| | | | | |
|------------------------------|------------------------------------|------------------------|-------------------------|----------------------|
| Radix Paeoniae Alba | Rhizoma Atractylodis Macrocephalae | Bulbus Lillii | Radix Isatidis | Lumbricus |
| Cortex Eucommiae | Mel | Poria | Cortex Phellodendri | Rhizoma Coptidis |
| Radix Scutellariae | Caulis Dalbergiae Hancei | Herba Schizonepetae | Cortex Moutan Radicis | Calculus Bovis |
| Radix Achyranthis Bidentatae | Storax | Semen Ziziphi Spinosae | Rhizoma Pinelliae | Semen Persicae |
| Rhizoma Gastrodiae | Rhizoma Anemarrhenae | Fructus Gardeniae | Fructus Aurantii | Caulis Perillae |
| Radix Asteris | Borneolum | Herba Menthae | Radix Bupleuri | Radix Paeoniae Rubra |
| Rhizoma Zingiberis | Radix Glycyrrhizae | Radix puerariae | Radix Puerariae | Fructus Lycii |
| Herba agastaches | Radix Platycodi | Flos Chrysanthemi | Semen Armeniacae Amarum | Flos Farfaeae |
| Fructus Forsythiae | Radix Peucedani | Radix Ginseng | Cortex Cinnamomi | Fructus Evodiae |

Setting TCM Name List

www.sipo.gov.cn

English version of TCM database

Advanced Search

Time scope

Publication Date From Year Month Day To Year Month Day

Query

AND OR NOT () ?

Example: A61k035/78/IC1 AND Lang Enqian/PA AND hypertension

Database Search Fields

| Basic Indexes | Classification Indexes | Additional Indexes | |
|-----------------|------------------------------------|-------------------------|--------------------------------------|
| Title /TI | International Class /IC | Applicant /AP | Publication Number /PN |
| Abstract /AB | Main International Class /IC1 | Applicant Name /PA | Priority /PRN |
| Index Terms /IT | Secondary International Class /IC2 | Inventor /INR | Applicant Country/Province Code /PAC |
| Effects /EFF | Pharmsearch class /PHC | Applicant Address /ADDR | |

English version of TCM database

Search Results

NO #1 Search expression: S ("RADIX PAEONIAE ALBA")/allitem
Total 4324 Display 20 Results IN One Page First Previous Next Last Page 1 1/217

| NO. | AP | Title |
|----------------------------|--------------------------|--|
| <input type="checkbox"/> 1 | 99127593 | New pattern hemostatic agent/A pharmaceutical composition having hemostatic effects, and its preparation method |
| <input type="checkbox"/> 2 | 99127250 | A medicine for the treatment of rheumatoid arthritis, and its preparation method |
| <input type="checkbox"/> 3 | 99126932 | Female capsule and its preparation method/A Chinese medicinal preparation for female health promoting and its preparation method |
| <input type="checkbox"/> 4 | 99126213 | Original Qi Protecting and Kidney Tonifying Medicated Bag/A Medicated bag for the treatment of gastrointestinal diseases and sexual disorder |
| <input type="checkbox"/> 5 | 99125954 | Preparation method of a medicine in form of capsule for the treatment of cancer/A Chinese medicinal composition for the treatment of cancer and its preparation method |
| <input type="checkbox"/> 6 | 99125715 | A Chinese medicinal composition for regulating functions of human body/A Chinese medicinal composition for regulating functions of human body and its preparation method |
| <input type="checkbox"/> 7 | 99125103 | A pharmaceutical composition for the treatment of leukemia/A Chinese medicinal composition for the treatment of leukemia and its preparation method |
| <input type="checkbox"/> 8 | 99124959 | A Chinese medicinal powder for the treatment of leukemia |

| | |
|--|---|
| Application Number (AP) | 99127593 |
| Title(TI) | New pattern hemostatic agent/A pharmaceutical composition having hemostatic effects, and its preparation method |
| Abstract(AB) | A pharmaceutical composition CHANGBING WEIYI POWDER is prepared from Rhizoma Atractylodis Macrocephalae, Semen Arecae, Lignum Aquilariae Resinatum, Radix Codonopsis, TAIWU (sic), Radix Paeoniae Alba , Radix Glycyrrhizae, Radix Glycyrrhizae Preparata, Cortex Magnoliae Officinalis, Rhizoma Sparganii, Pericarpium Citri Reticulatae, Rhizoma Cyperi, Folium Perillae, Fructus Chebulae, WANGYINGCHA (sic), Herba Hedyotidis Diffusae, HUOXUETENG (sic), Rhizoma Atractylodis, and Pericarpium Arecae by drying in sunlight, pulverizing, sieving, and sealing. Said product has hemostatic effects; and can be used for the treatment of hemorrhage such as ulcerative hemorrhage, gastrorrhagia complicated with cerebral hemorrhage, metrorrhagia, traumatic hemorrhage, cerebral hemorrhage, tuberculous hemorrhage, hemorrhage due to bronchiectasis, and capillary hemorrhage due to portal hypertension. |
| Publication Number (PN) | 1268374 |
| Application Date(AD) | 1999-12-29 |
| Publicatin Date(PD) | 2000-10-4 |
| Applicant(PA) | Wu Fangbing |
| Inventor(INR) | Wu Fangbing |
| Applicant Address (ADDR) | No.59,Bayi Road,Ruijin,Jiangxi 342500 |
| Country/Province Code(PAC) | CN 36 jiangxi |
| Main International Class(IC1) | A61P007/04 |
| Secondary International Class (IC2) | A61P017/02; A61P001/00; A61P025/00; A61P015/00; A61P011/00; A61P009/00 |
| TCM Formula Composition(MIX) | Rhizoma Atractylodis Macrocephalae; Semen Arecae; Lignum Aquilariae Resinatum; Radix Codonopsis; TAIWU (sic); Radix Paeoniae Alba ; Radix Glycyrrhizae; Cortex Magnoliae Officinalis; Rhizoma Sparganii; Pericarpium Citri Reticulatae; Rhizoma Cyperi; Folium Perillae; Fructus Chebulae; WANGYINGCHA (sic); Herba Hedyotidis Diffusae; HUOXUETENG (sic); Rhizoma Atractylodis; Pericarpium Arecae |
| Similar Effect(ANEF) | LIZHIXUE; Yunnan white drug powder |
| Therapeutic Effect (THEF) | Hemorrhage; Ulcerative hemorrhage; Gastrorrhagia; Cerebral hemorrhage; Wound healing; Metrorrhagia; Pulmonary tuberculosis; Bronchiectasis; Capillary hemorrhage |
| Pharmsearch class (PHC) | 02 Hematology; 04 Cardiology Angiology; 05 Dermatology; 06 Gastroenterology Stomatology; 07 Gynecology Andrology; 13 Neurology Psychiatry; 16 Pneumology, ENT,Ears,nose,throat; |

Formula Information

| | |
|---------------------|---|
| Formula1(19) | Rhizoma Atractylodis Macrocephalae 3.866%; Semen Arecae 1.546%; Lignum Aquilariae Resinatum 1.160%; Radix Codonopsis 1.933%; TAIQU (sic) 3.866%; Radix Paeoniae Alba 7.730%; Radix glycyrrhizae 7.730%; Radix glycyrrhizae Preparata 7.730%; Cortex Magnoliae Officinalis 3.866%; Rhizoma Sparganii 7.730%; Pericarpium Citri Reticulatae 15.46%; Rhizoma Cyperi 4.250%; Folium Perillae 3.866%; Fructus Chebulae 1.933%; WANGYINGCHA (sic) 2.580%; Herba Hedyotidis Diffusae 7.730%; HUOXUETENG (sic) 7.730%; Rhizoma Atractylodis 1.546%; Pericarpium Arecae 7.730% |
|---------------------|---|

English version of TCM database

Additional tool: statistic

| | | | |
|--------------------------|----|--------------------------|--|
| <input type="checkbox"/> | 15 | 99121238 | A Chinese medicine for the treatment of cervical spondylosis and lumbar spondylosis |
| <input type="checkbox"/> | 16 | 99121016 | A medicinal liquid for the treatment of cardiovascular diseases and its preparation method |
| <input type="checkbox"/> | 17 | 99119912 | Medicine for induction-differentiation therapy and its application |
| <input type="checkbox"/> | 18 | 99119394 | A pure Chinese medicinal preparation JIANYUDAN/A Chinese medicinal composition for obesity |
| <input type="checkbox"/> | 19 | 99119393 | A Chinese medicinal composition for the treatment of hepatopathy and its preparation method/A Chinese medicinal composition for the treatment of hepatitis and ascites due to hepatic cirrhosis and its preparation method |
| <input type="checkbox"/> | 20 | 99117557 | SHENGXUELINGJING/A Chinese medicinal composition for health promotion |

Select All Results Save Abstract Field: Applicant

Statistic by:

- Applicant
- Inventor
- Province/country Code
- Country Code
- IPC
- Main IPC
- Sub IPC

English version of TCM database

Additional tool: statistic

Statistic Results

Search Result

Total **4334** Display Results IN One Page [First](#) [Previous](#) [Next](#) [Last](#) Page **1/217**

| NO. | INR | Hits |
|-----|----------------|------------|
| 1 | Wang Xinsuo | 151 |
| 2 | Yang Mengjun | 115 |
| 3 | Liu Lu | 33 |
| 4 | Wang Jun | 33 |
| 5 | Yin Kehua | 33 |
| 6 | Zheng Yongfeng | 26 |
| 7 | Xu Shiping | 23 |
| 8 | Chen Jiang | 22 |
| 9 | Yin Keshan | 21 |

English version of TCM database

Formula Logic Search

This page is a Formula Logic Search interface which provides logic combination and Boolean searches of TCM formulas. A Formula Similarity Search interface is available on the [Formula Similarity Search](#) page.

Limits

Medicine number of the formula: To

Display search results by:

Query

Frequently Used TCM Name List

| | | | | |
|---------------------|---------------------------------------|---------------------|-----------------------|------------------|
| Radix Paeoniae Alba | Rhizoma Atractylodis Macrocephalae | Bulbus Lillii | Radix Isatidis | Lumbricus |
| Cortex Eucommiae | Mel | Poria | Cortex Phellodendri | Rhizoma Coptidis |
| Radix Gentelliae | Caulis Dolichopis Hassai | Herba Schizonepetae | Cortex Moutan Radicis | Calculus Bovis |

English version of TCM database

Formula Similarity Search

This page is "Formula Similarity Search" interface which provides similarity searches of TCM formulas. A Formula Logic Search interface is available on the [Formula Logic Search](#) page.

Limits

Medicine number of the formula: To Display method of the search results by:

Query

Type the related medicines respectively into the boxes

| | | | | | | | | | |
|----|----------------------|----|----------------------|----|----------------------|----|----------------------|----|----------------------|
| 1 | <input type="text"/> | 2 | <input type="text"/> | 3 | <input type="text"/> | 4 | <input type="text"/> | 5 | <input type="text"/> |
| 6 | <input type="text"/> | 7 | <input type="text"/> | 8 | <input type="text"/> | 9 | <input type="text"/> | 10 | <input type="text"/> |
| 11 | <input type="text"/> | 12 | <input type="text"/> | 13 | <input type="text"/> | 14 | <input type="text"/> | 15 | <input type="text"/> |

Include at least TCM in the formula composition

Limits:

Results Must Contain: All of these words/phrases(AND)
 Any of these words/phrases(OR)

Frequently Used TCM Name List

| | | | | |
|---------------------|---------------------------------------|--------------|---------------------|------------------|
| Radix Paeoniae Alba | Rhizoma Atractylodis Macrocephalae | Bulbus Lilii | Radix Isatidis | Lumbricus |
| Cortex Eucommiae | Mel | Poria | Cortex Phellodendri | Rhizoma Coptidis |

English version of TCM database

Display the results by formula

Search Results

Total 4853 Display Results IN One Page First Previous Next Last Page 1 / 243

APPLICATION NUMBER: 99127491

Title: A Chinese medicine for the treatment of cough and asthma, and its preparation method/A pharmaceutical composition for the treatment of cough and asthma, and its preparation method

Formula composition: Radix Ginseng 18-24%; Cortex Magnoliae Officinalis 8-12%; Cortex Eucommiae 3-6%; Radix Angelicae Sinensis 12-18%; Radix Scrophulariae 18-24%; Radix Scutellariae 3-6%; Herba Houttuyniae 8-12%; Pericarpium Citri Reticulatae 3-6%; Poria 8-12%

TCM number: 9

APPLICATION NUMBER: 99127491

Title: A Chinese medicine for the treatment of cough and asthma, and its preparation method/A pharmaceutical composition for the treatment of cough and asthma, and its preparation method

Formula composition: Radix Ginseng 20kg; Cortex Magnoliae Officinalis 10kg; Cortex Eucommiae 5kg; Radix Angelicae Sinensis 15kg; Radix Scrophulariae 20kg; Radix Scutellariae 5kg; Herba Houttuyniae 10kg; Pericarpium Citri Reticulatae 5kg; Poria 10kg

TCM number: 9

APPLICATION NUMBER: 99127154

Title: A tonic health food containing Testis Et penis of animals and its preparation method

Formula composition: Testis Et penis of animals 500g; Fructus Lycii 20g; Cortex Eucommiae 6g; Gallus Domesticus block 50g; Bulbus Allii 10g; Semen Juglandis 5g; Semen Glycines 25g; Bulbus Allii Cepae 25g; yellow wine made from Oryza glutinosa 100g

TCM number: 9

English version of TCM database

Display the results by application number

Search Results

Total **1674** Display Results IN One Page First Previous Next Last Page 1/84

| NO. | AP | Title |
|----------------------------|--------------------------|---|
| <input type="checkbox"/> 1 | 99127491 | A Chinese medicine for the treatment of cough and asthma, and its preparation method/A pharmaceutical composition for the treatment of cough and asthma, and its preparation method |
| <input type="checkbox"/> 2 | 99127154 | A tonic health food containing Testis Et penis of animals and its preparation method |
| <input type="checkbox"/> 3 | 99126841 | Chinese medicinal compositions for the treatment of rheumatism |
| <input type="checkbox"/> 4 | 99126254 | A Fructus Lycii et Rhizoma Nelumbinis sauce/A tonic sauce containing Fructus Lycii et Rhizoma Nelumbinis |
| <input type="checkbox"/> 5 | 99125243 | Hyperosteogeny powder/A pharmaceutical composition for the treatment of hyperosteogeny |
| <input type="checkbox"/> 6 | 99124959 | A Chinese medicinal powder for the treatment of leukemia |
| <input type="checkbox"/> 7 | 99124937 | Erwulingxian Powder and its preparation method/A medicine for for the treatment of hyperosteogeny and its preparation method |
| <input type="checkbox"/> 8 | 99123068 | A Chinese medicinal preparation for the treatment of femur head necrosis |

English version of TCM database

TCM Dictionary

Query

Input Search Expression:

Frequently Used TCM Names

| | | | | |
|------------------------------|------------------------------------|------------------------|-------------------------|----------------------|
| Radix Paeoniae Alba | Rhizoma Atractylodis Macrocephalae | Bulbus Lillii | Radix Isatidis | Lumbricus |
| Cortex Eucommiae | Mel | Poria | Cortex Phellodendri | Rhizoma Coptidis |
| Radix Scutellariae | Caulis Dalbergiae Hancei | Herba Schizonepetae | Cortex Moutan Radicis | Calculus Bovis |
| Radix Achyranthis Bidentatae | Storax | Semen Ziziphi Spinosae | Rhizoma Pinelliae | Semen Persicae |
| Rhizoma Gastrodiae | Rhizoma Anemarrhenae | Fructus Gardeniae | Fructus Aurantii | Caulis Perillae |
| Radix Asteris | Borneolum | Herba Menthae | Radix Bupleuri | Radix Paeoniae Rubra |
| Rhizoma Zingiberis | Radix Glycyrrhizae | Radix puerariae | Radix Puerariae | Fructus Lycii |
| Herba agastaches | Radix Platycodi | Flos Chrysanthemi | Semen Armeniacae Amarum | Flos Farfaeae |
| Fructus Forsythiae | Radix Peucedani | Radix Ginseng | Cortex Cinnamomi | Fructus Evodiae |

[Setting TCM Name List](#)

English version of TCM database

Search Results

NO.: m#5 Search expression: radix paeoniae alba/all

Total 1 Display 20 Results IN One Page First Previous Next Last Page 1 1/1

Latin Drug names: **Radix Paeoniae Alba**

English Drug names: White Paeony Root

Latin Plant/Mineral names: Paeonia lactiflora Pal1.

Chinese Standard names: 白芍

Chinese Synonyms: 白芍药。金芍药（《安期生服炼法》），白芍（《药品化义》）《中国药典》。芍药（《诗经》），又名：离草（《韩诗》内传），余容、其积、解仓（《吴普本草》），可离（崔豹《古今注》），犁食、铤（《别录》），没骨花（《胡本草》），葵尾春（《清异录》），将离（《纲目》）。处方名：白芍药、生白芍、炒白芍、白芍炭、酒白芍、大白芍、杭白芍。始载于神农本草经，列为中品。；（白芍，杭芍，生白芍）

Chinese Pinyin: BAISHAO

Select all of the results

Crossover to

TCM Formula file

Search

English version of TCM database

Crossover to TCM formula database

AP:99127593

Title : New pattern hemostatic agent/A pharmaceutical composition having hemostatic effects, and its preparation method

Formula Information : Rhizoma Atractylodis Macrocephalae 3.866%; Semen Arecae 1.546%; Lignum Aquilariae Resinatum 1.160%; Radix Codonopsis 1.933%; TAIQU (sic) 3.866%; Radix Paeoniae Alba 7.730%; Radix glycyrrhizae 7.730%; Radix glycyrrhizae Preparata 7.730%; Cortex Magnoliae Officinalis 3.866%; Rhizoma Sparganii 7.730%; Pericarpium Citri Reticulatae 15.46%; Rhizoma Cyperi 4.250%; Folium Perillae 3.866%; Fructus Chebulae 1.933%; WANGYINGCHA (sic) 2.580%; Herba Hedyotidis Diffusae 7.730%; HUOXUETENG (sic) 7.730%; Rhizoma Atractylodis 1.546%; Pericarpium Arecae 7.730%

AP:99127250

Title : A medicine for the treatment of rheumatoid arthritis, and its preparation method

Formula Information : Radix Rehmanniae Preparata 25; Radix Rehmanniae 25; Radix Angelicae Sinensis 20; Radix Codonopsis 30; Radix Paeoniae Alba 60; Rhizoma Atractylodis Macrocephalae 25; Colla cornus cervi 15; Colla Plastris Testudinis 15; Fructus Lycii 20; Radix Achyranthis Bidentatae 30; Ramulus Cinnamomi 20; Rhizoma Cibotii 30; Zaocys 30; Caulis Sinomenii 50; Radix Tripterygii Wilfordii 10; Herba Asari 10; Radix Gentianae Macrophyllae 20; Squama Manis 8

Crossover to TCM patent Bib. database

| | | |
|--------------------------|-----------------|--|
| <input type="checkbox"/> | 99127593 | New pattern hemostatic agent/A pharmaceutical composition having hemostatic effects, and its preparation method |
| <input type="checkbox"/> | 99127250 | A medicine for the treatment of rheumatoid arthritis, and its preparation method |
| <input type="checkbox"/> | 99126932 | Female capsule and its preparation method/A Chinese medicinal preparation for female health promoting and its preparation method |
| <input type="checkbox"/> | 99126213 | Original Qi Protecting and Kidney Tonifying Medicated Bag/A Medicated bag for the treatment of gastrointestinal diseases and sexual disorder |

| | |
|--|---|
| Application Number (AP) | 99127593 |
| Title(TI) | New pattern hemostatic agent/A pharmaceutical composition having hemostatic effects, and its preparation method |
| Abstract(AB) | A pharmaceutical composition CHANGBING WEIYI POWDER is prepared from Rhizoma Atractylodis Macrocephalae, Semen Arecae, Lignum Aquilariae Resinatum, Radix Codonopsis, TAIWU (sic), Radix Paeoniae Alba , Radix Glycyrrhizae, Radix Glycyrrhizae Preparata, Cortex Magnoliae Officinalis, Rhizoma Sparganii, Pericarpium Citri Reticulatae, Rhizoma Cyperi, Folium Perillae, Fructus Chebulae, WANGYINGCHA (sic), Herba Hedyotidis Diffusae, HUOXUETENG (sic), Rhizoma Atractylodis, and Pericarpium Arecae by drying in sunlight, pulverizing, sieving, and sealing. Said product has hemostatic effects; and can be used for the treatment of hemorrhage such as ulcerative hemorrhage, gastrorrhagia complicated with cerebral hemorrhage, metrorrhagia, traumatic hemorrhage, cerebral hemorrhage, tuberculous hemorrhage, hemorrhage due to bronchiectasis, and capillary hemorrhage due to portal hypertension. |
| Publication Number (PN) | 1268374 |
| Application Date(AD) | 1999-12-29 |
| Publicatin Date(PD) | 2000-10-4 |
| Applicant(PA) | Wu Fangbing |
| Inventor(INR) | Wu Fangbing |
| Applicant Address (ADDR) | No.59,Bayi Road,Ruijin,Jiangxi 342500 |
| Country/Province Code(PAC) | CN 36 jiangxi |
| Main International Class(IC1) | A61P007/04 |
| Secondary International Class (IC2) | A61P017/02; A61P001/00; A61P025/00; A61P015/00; A61P011/00; A61P009/00 |
| TCM Formula Composition(MIX) | Rhizoma Atractylodis Macrocephalae; Semen Arecae; Lignum Aquilariae Resinatum; Radix Codonopsis; TAIWU (sic); Radix Paeoniae Alba ; Radix Glycyrrhizae; Cortex Magnoliae Officinalis; Rhizoma Sparganii; Pericarpium Citri Reticulatae; Rhizoma Cyperi; Folium Perillae; Fructus Chebulae; WANGYINGCHA (sic); Herba Hedyotidis Diffusae; HUOXUETENG (sic); Rhizoma Atractylodis; Pericarpium Arecae |
| Similar Effect(ANEF) | LIZHIXUE; Yunnan white drug powder |
| Therapeutic Effect (THEF) | Hemorrhage; Ulcerative hemorrhage; Gastrorrhagia; Cerebral hemorrhage; Wound healing; Metrorrhagia; Pulmonary tuberculosis; Bronchiectasis; Capillary hemorrhage |
| Pharmsearch class (PHC) | 02 Hematology; 04 Cardiology Angiology; 05 Dermatology; 06 Gastroenterology Stomatology; 07 Gynecology Andrology; 13 Neurology Psychiatry; 16 Pneumology, ENT,Ears,nose,throat; |

Formula Information

| | |
|---------------------|---|
| Formula1(19) | Rhizoma Atractylodis Macrocephalae 3.866%; Semen Arecae 1.546%; Lignum Aquilariae Resinatum 1.160%; Radix Codonopsis 1.933%; TAIQU (sic) 3.866%; Radix Paeoniae Alba 7.730%; Radix glycyrrhizae 7.730%; Radix glycyrrhizae Preparata 7.730%; Cortex Magnoliae Officinalis 3.866%; Rhizoma Sparganii 7.730%; Pericarpium Citri Reticulatae 15.46%; Rhizoma Cyperi 4.250%; Folium Perillae 3.866%; Fructus Chebulae 1.933%; WANGYINGCHA (sic) 2.580%; Herba Hedyotidis Diffusae 7.730%; HUOXUETENG (sic) 7.730%; Rhizoma Atractylodis 1.546%; Pericarpium Arecae 7.730% |
|---------------------|---|

end



中华人民共和国国家知识产权局
State Intellectual Property Office
of the People's Republic of China

Thank You For Attention!

www.sipo.gov.cn