

**WORLD INTELLECTUAL PROPERTY
ORGANIZATION**

世界知识产权组织

**ORGANIZACION MUNDIAL
DE LA PROPIEDAD INTELECTUAL**



**ORGANISATION MONDIALE
DE LA PROPRIÉTÉ INTELLECTUELLE**

المنظمة العالمية للملكية الفكرية

**ВСЕМИРНАЯ ОРГАНИЗАЦИЯ
ИНТЕЛЛЕКТУАЛЬНОЙ СОБСТВЕННОСТИ**

C. SCIT 2542
00

31 de julio de 2001

Ref: Documentación mínima del PCT – Lista de publicaciones periódicas

De mi consideración:

El motivo de la presente es informar a su oficina que hemos recibido del editor de la publicación “*Research Disclosure*” (RD) una petición de inclusión de dicha publicación en la lista de documentación mínima del PCT, junto con su versión electrónica “*Research Disclosure Electronic*”. En una correspondencia ulterior del editor, éste indicó que durante los últimos 30 años se había enviado a todas las oficinas de propiedad industrial de su conocimiento un ejemplar gratuito de la publicación RD (incluyendo el “*IBM Technical Disclosure Bulletin*”). Esta distribución gratuita cubre a todos los Estados miembros actuales del PCT. El editor nos confirmó su intención de continuar dicha práctica de incluirse la publicación RD en la lista de documentación mínima del PCT.


Habida cuenta de que el “*IBM Technical Disclosure Bulletin*” (IBM TDD) ya forma parte de la lista de documentación mínima del PCT (véase la publicación N° 063 del PCT), la Oficina Internacional desearía solicitar a las Oficinas de propiedad industrial que actúen como Administraciones encargadas de la búsqueda internacional y como Administraciones encargadas del examen preliminar internacional en virtud del PCT, que consideren si se justificaría sustituir la publicación IBM TDD por la publicación RD, ISSN 0374-4353 (en su versión en papel y en la versión electrónica prevista). A título de información, se adjunta a la presente una copia de la página de introducción de la edición de septiembre del 2000, y de las páginas del índice.

/...

Además, la Oficina Internacional desearía señalar a su atención que la Oficina Austríaca de Patentes ha propuesto suprimir la publicación “*Funkschau*” (N° 057 del PCT) de la lista de documentación mínima del PCT. Según esta oficina, ninguno de los artículos publicados en los últimos años en dicha publicación ha sido considerado pertinente a los fines de la búsqueda y el examen en el marco del proyecto JOPAL.

La Oficina Internacional invita a su oficina a enviar por correo electrónico sus observaciones respecto de los dos temas mencionados en la presente, antes del 15 de septiembre de 2001, a la dirección scit.mail@wipo.int, indicando el número de la presente circular.

Aprovecho la oportunidad para saludarle muy atentamente.



Klaus-Peter Wittig
Director Adjunto
Servicio de Normas y Documentación

Disclosure Instructions

Both text and illustrations should be submitted on A4 or 8.5 x 11 inch paper using a good quality black ribbon typewriter, computer printer or laser printer to produce the disclosure copy. The type size should be no smaller than 12pt. A margin of 1 inch (2.5 cm) should be allowed on all four sides. Number pages lightly in pencil as they will be renumbered for publication. Start with a headline, ranged left in upper and lower case. Leave three blank lines, then start text ranged left. Thereafter paragraphs should be indented. End with 'Disclosed by . . . your company name, inventors etc', or 'Disclosed anonymously' again ranged left in upper and lower case. Keep punctuation, particularly in headlines and artwork, to a minimum.

Disclosure Fees

Disclosures are charged at \$95 US per page of manuscript submitted (text and/or illustration) or £62.50 per page sterling.

Subscription Rates

Subscriptions: \$250 US, £150 UK,
£160 elsewhere
Single copies \$40 US, £30 UK and elsewhere
These rates include postage

Photocopying permission in USA

Kenneth Mason Publications Ltd, copyright owners of *Research Disclosures*, give consent for copies to be made of articles in the journal which are for personal use, or for personal or internal use of specific clients.

This consent is given on condition, however, that the copier pays \$6 copy fee through the Copyright Clearance Centre, 27 Congress Street, Salem, Massachusetts 09170, for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising, or promotional purposes, for creating new collective works or for resale.

Printed and published in the United States of America
ISSN 0874-4553

September 2000 Number 437

RESEARCH DISCLOSURE

Established 1960

The pages of this journal are available to companies who, due to the special nature of an invention, seek an alternative or supplement to obtaining patents and require prompt publication as well as maintaining freedom for their own use of that invention. Disclosures may be published either accredited or anonymously. This service enables publication to be made worldwide within a maximum of six weeks.

Copy received in New York by the 20th of each month appears on the 10th of the following month, except where it falls on a weekend or Bank Holiday.

For further information regarding this service please telephone

212-366-4363 (USA) or 01243-377977 (UK)



©2000

Kenneth Mason Publications Ltd
The Book Barn
Westbourne
Hampshire PO10 8RS
England
Tel: + 44 (0)1243-377977
Fax: + 44 (0)1243-379136

US agents:

Ensworth Design Inc
147 West 24 Street
New York
NY 10011
USA

Tel: 212-366-4363
Fax: 212-604-0763

Please send disclosures direct to the US agents

Index

Research Disclosure ♦ September 2000

437001	Lock mechanism for a work machine	1507	437033	Pressure roller testing apparatus	1570
437002	FCC Apparatus and process	1508	437034	A statistical methodology for static timing analysis of PD-SOI circuits	1570
437003	Control architecture of integrated chassis system	1512	437035	Use of ketoxime-esters	1572
437004	Perfectionnements aux vaporiseurs-condenseurs à bain	1514	437036	Handling asynchronous power-state changes in a user-mode driver	1574
437005	Aqueous dispersions of waxes containing carboxylic acid groups	1516	437037	Media sensing by sensing tangential motion	1576
437006	Automobile windshield washer jet that passively compensates for apparent headwind	1517	437038	Method and apparatus for providing a battery-powered visual indicator to ensure successful closure of microprocessor sockets	1576
437007	Pneumatic connection	1518	437039	Motor vehicle fuel tank	1578
437008	Watching commercials for money	1518	437040	Ultrasound cutting and coagulation devices	1578
437009	Compensation of parasitic magnetic attractive force	1519	437041	Fail-safe for ride control dampers	1579
437010	Light valve projector with reflective lens cap	1519	437042	Temperature test assembly for microcontroller stress validation	1581
437011	Melamine-urea-formaldehyde resins	1520	437043	Electronic commerce personal shopper	1581
437012	Pressure sensor manifold for brake master cylinder	1521	437044	Single step brake fluid reservoir attachment	1581
437013	Color paper with exceptional reciprocity performance	1522	437045	Multi-layer substrate	1582
437014	8-VSB test signal (Tektronix, Inc., Inventor: Linely F. Gumm)	1549	437046	Variable efficiency ball screw	1583
437015	A' pillar tether retention device for a PN sequence generator	1550	437047	An automated flow-time measurement apparatus for flip-chip underfill materials	1584
437016	Improved spectral flatness for a PN sequence generator (Tektronix, Inc., Inventors: Daniel G. Klierim and Alfred K. Hillman)	1550	437048	Apparatus for processing substrates with solution	1585
437017	Energy efficient power steering effect on fuel consumption test measurements	1552	437049	Vacuum brake booster and means for attaching primary and secondary power pistons	1586
437018	Hydraulic fuel system with pump having quick start mechanism	1553	437050	Interleaved power-planes design for burn-in boards	1587
437019	Aminosäuren enthaltende kosmetische emulsionen mit verbesserter stabilität	1554	437051	Secured door lock and unlock system with a mobile telephone	1589
437020	Förbättrad backflush med ny typ av diskstav	1559	437052	Air bag fold and method	1590
437021	Adjustable flow rate stationary gas injection pin	1560	437053	Laser-matrix mark process for tray-placement detectors	1593
437022	Phosphines as Photoinitiators	1560	437054	Rotating bump cap for suspension strut	1594
437023	Clear hair conditioner formulations based on esterquats	1562	437055	Anti-rattle 'bump' (moveable restrictor)	1595
437024	A method for dynamic language translation of web pages	1563	437056	Satisfying an inquiry connection to a mobile bluetooth device	1596
437025	Circuit for high-speed comparator utilizing low fan-in gates	1564	437057	Dual purity oxygen from an air separation unit	1597
437026	Load-bearing check valve	1565	437058	Image compression method based on adaptive block partitioning and adaptive local palette geometry	1598
437027	Process to reduce metallic contamination in CFX films	1566	437059	Flux film depth gauge with increased resolution	1600
437028	A method of performing the divide function in an ASIC	1566	437060	Reservoir attachment methods	1602
437029	Module attached to executables to collect and process user satisfaction data	1566	437061	Side curtain assembly	1604
437030	Ratcheting spring clip and retention mechanism	1567	437062	Method for ceation of diffusion barrier and adhesion layer	1605
437031	Photo-acid generators for positive photoresists (3M, Dr. William M. Lamanna, Advanced Materials Technology Center)	1568	437063	In vivo - studien zur lichtinduzierten hautalterung	1606
437032	Printer control panel accessibility for visually impaired individuals	1570	437064	Multi-segmented impedance and length-compensated trace design (for burn-in board design)	1607
			437065	Transmission gear and engine speed estimation from wheel speeds and rear ratios	1609

IBM Technical Disclosures

	Page No		Page No
437066	1610	Frequency domain simulation and characterization methodology using S-parameters for test hardware interconnects	1610
437067	1673	Rollover sensing method	1673
437068	1614	Controlled use of die self-heating to eliminate the requirement for the cold testing of high-power processors	1614
437069	1615	Motor drive systems	1615
437070	1615	Torque-to-seal test fixture based on air-flow and clamp-load	1615
437071	1616	Crosstalk reduction by the increased heights of a shielding line between signal traces	1616
437072	1617	Log size indicator	1617
437073	1618	Apparatus	1618
437074	1619	Bleeder-screw and tube-nut static-to-dynamic torque correlation fixture	1619
437075	1620	An apparatus to remove/rework C4 die from various package types	1620
437076	1622	Magnetoresistors with a linear response	1622
437077	1623	Brake fluid reservoir anti false trip design	1623
437078	1623	Multiformat 422-to-444 conversion phase adjustment	1623
437079	1625	Inflator with diffuser element adjustable between thrust and thrust neutral positions	1625
437080	1625	Stainless steel filler metal compositions	1625
437081	1626	ATVEF viewer helpers for rapid viewer application development	1626
437082	1629	Improved mat joint configurations for improved exhaust sealing	1629
437083	1630	Method to produce variable draw of trim material during insert molding	1630
437084	1630	Kall lösdrift med AMS	1630
437085	1631	Method for increasing the solderability of connector terminals by using nickel palladium plating	1631
437086	1631	Förtärande och system för att på ett säkert sätt tillåta access, särskilt för manuell rengörning, till en automatisk mjölkningsstation när denna övergår till tvättningsoch/eller diskningsläge	1631
437087	1632	Sterically hindered hydrocarbyloxyamine stabilizers	1632
437088	1660	Tag replacement based on the cache-line state in the snoop filter of a multibus system	1660
437089	1663	Method and device to alert service that a thermal print head needs replacement	1663
437090	1663	Controlled, secure method for remote update of device functional code in a fiscal printer or other IO devices	1663
437091	1664	Limited rotation of key lock flag achieved at connection to lock plug	1664
437092	1665	Multi-edge unidirectional cutter	1665
437093	1666	Three function switch for point of sale printers	1666
437094	1667	Use of MCTs to change printer functionality	1667
437095	1668	Low paper sensing using paper roll rotation	1668
437096	1669	Integrated pointing device within touch/non-touch display for GUI navigation	1669
437097	1670	Cooling high power processors in the food service environment	1670
437098	1671	Using data signatures on retail journal files	1671
437099	1671	Windows navigation window	1671
437100	1672	Zero insertion force sockets which allows the plugging component to remain stationary when electrical connectors are closed	1672
437101	1674	Method for retaining the connection between non-latching connectors and non-latching receptacles of cabled devices	1674
437102	1674	A circuit used to drive a power supply or system fan by using magnetizing energy of the transformer	1674
437103	1676	Hierarchical RAID	1676
437104	1677	System to effect an RF connection from an electronic chip heatsink	1677
437105	1678	A high efficiency power factor correction (pfc) circuit for ac/dc adapters	1678
437106	1679	Capture java process stdout to manipulate system properties	1679
437107	1680	Method to spy on externals of 3rd party MMC snap-ins	1680
437108	1682	A data backup method for computers having removable HDDs	1682
437109	1683	High-performance string search using differences between frequencies with which characters are generally used	1683
437110	1685	Cursor tool switcher mechanism for graphical user interfaces	1685
437111	1686	Method and apparatus for computer debug using memory connector	1686
437112	1687	Polarity and magnitude detection circuit	1687
437113	1688	LCD module structure	1688
437114	1690	Using HTML to display and save wizard summary information	1690
437115	1692	Synthesis of an ultra-precise time standard using inexpensive components	1692
437116	1694	Fast access to large memory blocks using delayed return	1694
437117	1695	Audio-video book marking	1695

Research Disclosure ♦ September 2000

437118	Link event internet protocol for communicating link status and link event notification	Page No 1695
437119	Adaptive media sense method for CD/DVD drive	1696
437120	A visual and sequence independent stroke-based Chinese input method	1696
437121	A method to help Java class to read parameters defined in external files	1697
437122	Reduce installation time of PC software with manual intervention	1697
437123	Dialing some information to the another end of the telephone line during the connection	1698
437124	Water label	1699
437125	Method of preparing TEM plan view sections on semiconductor devices	1700
437126	Send the FAX data which is added the web contents	1702
437127	On-demand and easily accessible scroll bars	1703
437128	Voltage regulation system for HDD	1704
437129	Real-time positioning of robot by eliminating non-deterministic deceleration	1705
437130	Highly controllable and visible inline multi-column sorting controls	1708

[Fin del Anexo]